Metatech[™] Perkadox Catalyst

CATALYST POWDER





STOCK#: 0095110

SIZE: 100 g bag

PACKAGING: 200 bags/box

QUANTITY PER PALLET: 24 boxes

PALLET SIZE:

 $122 \text{ cm} \times 102 \text{ cm} (48 \text{ in} \times 40 \text{ in})$

APPLICATION TEMP:

5°C (41°F) and rising

Note: All reported values are nominal

The only additive you need to ensure the best possible performance from the entire line of IKO Metatech Field, Flashing and Primer products.

- · FAST-ACTING
- · EASY MIXING
- · MULTIPLE USES

Metatech Perkadox Catalyst

CATALYST POWDER

Easy Mixing

Mixing IKO Metatech Perkadox
Catalyst with any of the membrane
components in the Metatech system
follows the same simple and quick
steps – combine the catalyst with the
Metatech component in the appropriate
ratio, mix with a mixing paddle
attached to a drill at low speed for two
minutes, ensuring all material is mixed
throughout the container. No additional
heat or additives are required – once
mixed, the product is ready to use.

Note: Please refer to full installation instructions.

Low Mix Ratios

The catalyst to Metatech material ratio is clearly labelled on all packaging and literature to ensure optimum mixing amounts over a range of temperatures

Convenient Packaging

IKO Metatech Perkadox Catalyst powder is supplied in 100 g bags. These uniformly sized packages make mixing with the relevant Metatech component easy to measure on site, with little material waste. The small package size also ensures that each "batch" of prepared IKO PMMA product can often be used entirely once activated, again reducing potential material waste.

Storage

Always store in cool and dry locations. Shelf life is 12 months with proper storage. For maximum quality and safety, storage temperature should not exceed 25°C (77°F). Exposure to temperatures above 50°C (122°F) may cause hazardous decomposition. Prevent contamination with incompatible materials.

IKO's products adhere to the industry standards of the jurisdiction in which they are sold by IKO. Numerical testing scores listed herein, if any, relate only to the samples tested and the standards & procedures listed herein. IKO does not guarantee that every IKO product will, upon similar testing, reveal an identical score to those set forth herein. IKO does not accept responsibility for any matters arising or consequences from the use of numerical testing.