



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

SECTION 1 – SUBSTANCE IDENTITY AND COMPANY CONTACT INFORMATION

PRODUCT NAME	IKO Millennium Adhesive 1.5 L Cartridge Set Part 1 of 2
TRADE NAME	Foamable Adhesive
PRODUCT NUMBER	1AD0001
CHEMICAL FAMILY	Isocyanate based product
PRODUCT USE	Professional and Industrial use
MANUFACTURER/SUPPLIER	IKO Industries Ltd. 71 Orenda Road Brampton, ON L6W 1V8 Canada
WEBSITE	www.iko.com
EMERGENCY NUMBER	CANUTEC: 1-613-996-6666, CHEMTREC: 1-800-424-9300

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

SIGNAL WORD Danger

SYMBOL(S)



CLASSIFICATION

Acute Toxicity (Inhalation) – Category 4
Eye Irritation – Category 2A
Respiratory Sensitization – Category 1
Skin Irritation – Category 2
Skin Sensitization – Category 1
Specific Target Organ Toxicity (repeated exposure) – Category 2
Specific Target Organ Toxicity (single exposure) – Category 3 (Respiratory system)

HAZARD STATEMENTS

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.

PRECAUTIONARY
STATEMENTS

Prevention:
P260 Do not breathe dust/fume/gas/mist/vapors/spray.



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves / eye protection / face protection.
P285 [In case of inadequate ventilation] wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P362 Take off contaminated clothing and wash it before reuse.
P363 Wash contaminated clothing before reuse.

Storage:

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

POTENTIAL HEALTH HAZARDS

Aggravated Medical Condition: Not known.
Symptoms of Overexposure: Breathing difficulties

CARCINOGENICITY

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

SECTION 3 – CHEMICAL COMPOSITION AND DATA ON COMPONENTS

Substance/Mixture: Mixture

HAZARDOUS CHEMICAL NAME	% (w/w)	CAS NUMBER
4,4'-Methylenediphenyl diisocyanate	50-70	101-68-8
MDI-based polyurethane polymer	30-50	53862-89-8

Actual concentration is withheld as a trade secret.

SECTION 4 – FIRST AID

INHALATION	Move to fresh air. If symptoms persist, call a physician.
INGESTION	Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate medical attention
SKIN CONTACT	Get medical attention if irritation develops and persists. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.
EYE CONTACT	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	Breathing difficulties. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
SPECIFIC HAZARDS DURING FIRE FIGHTING	Burning produces irritant fumes.
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE MEASURES AND EMERGENCY PROCEDURES

Refer to protective measures listed in sections 7 and 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Soak up with inert absorbent material.
Shovel into suitable container for disposal.
Neutralize with the following product(s):
Ammonia

SECTION 7 - HANDLING AND STORAGE

HANDLING PROCEDURE

Protect from moisture.
Avoid inhalation, ingestion and contact with skin and eyes.

LOCAL/TOTAL VENTILATION

Use only with adequate ventilation

MATERIALS TO AVOID

No special restrictions on storage with other products.

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

CHEMICAL NAME	OCCUPATIONAL EXPOSURE LIMITS				
	ALBERTA	ONTARIO	BRITISH COLUMBIA	OSHA	ACGIH
4,4'-methylene diphenyl diisocyanate	TWA : 0.005 ppm	TWA : 0.005 ppm Ceiling : 0.02 ppm	TWA : 0.005 ppm Ceiling : 0.01 ppm	Ceiling: 0.2 mg/m ³	TWA : 0.051 mg/m ³

ENGINEERING MEASURES

Use local exhaust ventilation or other engineering controls to minimize exposures.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION

Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

HAND PROTECTION MATERIAL

Nitrile Rubber.

EYE PROTECTION

Safety glasses with side-shields.

HYGIENE MEASURES

Avoid contact with skin, eyes and clothing.
Provide adequate ventilation.



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid
COLOR	Off-white
ODOR	Aromatic
ODOR THRESHOLD	No data available
PH	Not applicable
MELTING POINT/FREEZING POINT	Not determined
INITIAL BOILING POINT AND BOILING RANGE	Not determined
FLASH POINT	Not applicable
EVAPORATION RATE	Not determined
FLAMMABILITY	Not classified as a flammability hazard
UPPER/LOWER FLAMMABILITY/EXPLOSIVE LIMITS	Lower Flammability Limit: Not determined Upper Flammability Limit: Not determined
VAPOR PRESSURE	Not determined
DENSITY	1.12 g/cm ³
REGULATORY VOC (MIXED)	18 g/L
RELATIVE DENSITY	No data available
MOLECULAR WEIGHT	No data available
SOLUBILITY(IES)	Not determined
PARTITION COEFFICIENT: N-OCTANOL/WATER	No data available
AUTO-IGNITION TEMPERATURE	Not determined
VISCOSITY VISCOSITY, KINEMATIC	Not determined



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY:	Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.
CHEMICAL STABILITY	The product is chemically stable.
POSSIBILITY OF HAZARDOUS REACTIONS	Hazardous polymerization does not occur.
INCOMPATIBLE MATERIALS	Amines. Strong acids and strong bases.
HAZARDOUS DECOMPOSITION PRODUCTS	Stable under normal conditions.

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

PRODUCT:

ACUTE INHALATION TOXICITY	Acute toxicity estimate: 16.66 mg/l Exposure time: 4 Hours Test atmosphere: vapor Method: Calculation method
---------------------------	---

COMPONENTS:

4,4'-Methylenediphenyl diisocyanate:

ACUTE INHALATION TOXICITY	Acute toxicity estimate: 1.5 mg/l Test atmosphere: dust/mist Method: Calculation method
---------------------------	---

MDI-based polyurethane polymer

ACUTE INHALATION TOXICITY	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
---------------------------	--

HEALTH EFFECTS:

SERIOUS EYE DAMAGE/EYE IRRITATION	No data available
-----------------------------------	-------------------

SKIN CORROSION/IRRITATION	No data available
---------------------------	-------------------

RESPIRATORY OR SKIN SENSITIZATION	No data available
-----------------------------------	-------------------



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

STOT (SPECIFIC TARGET ORGAN TOXICITY)- SINGLE EXPOSURE No data available

STOT (SPECIFIC TARGET ORGAN TOXICITY) – REPEATED EXPOSURE No data available

CARCINOGENICITY No data available

REPRODUCTIVE TOXICITY No data available

ASPIRATION TOXICITY No data available

GERM CELL MUTAGENICITY No data available

SECTION 12 – ECOLOGICAL INFORMATION

ECOTOXICITY No data available

PERSISTENCE & DEGRADABILITY No data available

BIOACCUMULATION POTENTIAL Components:
4,4'-Methylenediphenyl diisocyanate
Partition coefficient: log Pow: 5.22
n-octanol/water

MOBILITY IN SOIL No data available

OTHER ADVERSE EFFECTS No data available

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHODS To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

Waste from residues

SECTION 14 – TRANSPORT INFORMATION

UN-NUMBER:
DOT Not regulated
ADN, IMDG, LATA Not regulated

UN PROPER SHIPPING NAME:
DOT
ADN, IMDG, LATA Not regulated



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

Not regulated

TRANSPORT HAZARD

CLASS(ES):

DOT

Not regulated

ADN, IMDG, LATA CLASS

Not regulated

PACKING GROUP:

DOT

Not regulated

IMDG, LATA

Not regulated

TRANSPORT IN BULK
ACCORDING TO ANNEX II OF
MARPOL 73/78 AND THE IBC
CODE

Not applicable

49 CFR

Not regulated

UN "MODEL REGULATION"

Not regulated

SECTION 15 - REGULATIONS

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE
SUBSTANCE OR MIXTURE

SARA 311/312 HAZARDS

Acute toxicity (any route of exposure).
Respiratory or skin sensitization.
Specific target organ toxicity (single or repeated exposure).
Skin corrosion or irritation.
Serious eye damage or eye irritation.

SARA 302

This material does not contain any components with a section 302 EHS TPQ.

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

4,4'-Methylenediphenyl diisocyanate	101-68-8
Polymethylene polyphenyl isocyanate	9016-87-9
Polymethylene polyphenyl isocyanate	

CLEAN AIR ACT

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

4,4'-Methylenediphenyl diisocyanate	101-68-8
-------------------------------------	----------



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

US STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

WARNING: This product can expose you to trace amounts of Toluene (≤ 10 PPM), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Hazardous ingredients	CAS-No.	%
Toluene	108-88-3	≤ 10 PPM

The ingredients of this product are reported in the following inventories:

TSCA (TOXIC SUBSTANCES CONTROL ACT)

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirement.

(DSL) CANADA DOMESTIC SUBSTANCE LIST

All components of this product are on the DSL (Canada Domestic Substance List) or are exempt from DSL requirements:

INVENTORIES LEGEND

TSCA (USA), DSL (Canada), REACH(Europe), AIIIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16 – OTHER INFORMATION

REVISION DATE OF SDS April 20, 2026

REPLACES THE MSDS/SDS FROM January 23, 2018

PREPARED BY C&C Department

GENERAL INFORMATION 1-888-766-2468

WEBSITE www.iko.com

OTHER INFO/DISCLAIMERS Read this Safety Data Sheet before handling or disposing of this product.

This product safety information is provided to help our customers with health, safety and/or environmental matters. We have taken reasonable effort to ensure that the test methods and sources for this data are correct and reliable, however, we give no warranty, expressed or implied, regarding its correctness. Since conditions or methods of handling and using this product are beyond our control, we do not assume responsibility and expressly disclaim liability for damages resulting from or connected with the handling, storage, use or disposal of the product.



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

SECTION 1 – SUBSTANCE IDENTITY AND COMPANY CONTACT INFORMATION

PRODUCT NAME	IKO Millennium Adhesive 1.5 L Cartridge Set Part 2 of 2
TRADE NAME	Foamable Adhesive
PRODUCT NUMBER	1AD0001
CHEMICAL FAMILY	Polyol
PRODUCT USE	Professional and Industrial use
MANUFACTURER/SUPPLIER	IKO Industries Ltd. 71 Orenda Road Brampton, ON L6W 1V8 Canada
WEBSITE	www.iko.com
EMERGENCY NUMBER	CANUTEC: 1-613-996-6666, CHEMTREC: 1-800-424-9300

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

SIGNAL WORD WARNING

SYMBOL(S)



CLASSIFICATION

Eye irritation - Category 2A
Skin Sensitization - Category 1
Specific target organ toxicity (repeated exposure)- Category 2

HAZARD STATEMENTS

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H373 May cause damage to organs through prolonged or repeated exposure.

PRECAUTIONARY
STATEMENTS

Prevention:
P260 Do not breathe mist or vapors
P264 Wash thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

POTENTIAL HEALTH EFFECTS

CARCINOGENICITY

IARC:

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP:

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3 – CHEMICAL COMPOSITION AND DATA ON COMPONENTS

Substance/Mixture: Mixture

HAZARDOUS CHEMICAL NAME	% (w/w)	CAS NUMBER
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1-5	1760-24-3
EthylenediaminepropyltriMeOsilane, polym	0.1 - 1	29226-47-9

Actual concentration is withheld as a trade secret.

SECTION 4 – FIRST AID

INHALATION

Move to fresh air.
If symptoms persist, call a physician.

INGESTION

Do not induce vomiting. Seek medical attention if symptoms develop.
Provide medical care provider with this SDS.

SKIN CONTACT

Wash off with soap and water.



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

EYE CONTACT

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

May cause an allergic skin reaction.
Causes serious eye irritation.
May cause damage to organs through prolonged or repeated exposure.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE- FIGHTERS

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE MEASURES AND EMERGENCY PROCEDURES

Refer to protective measures listed in sections 7 and 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Scrape up.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Shovel into suitable container for disposal.

SECTION 7 - HANDLING AND STORAGE

HANDLING PROCEDURE

No special precautions are needed in handling this material.

CONDITIONS FOR SAFE STORAGE

Keep in a dry, cool place.

MATERIALS TO AVOID

No special restrictions on storage with other products.

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

CHEMICAL NAME	OCCUPATIONAL EXPOSURE LIMITS				
	ALBERTA	ONTARIO	BRITISH COLUMBIA	OSHA	ACGIH
N-(3-(trimethoxysilyl)propyl)ethylenediamine	No information available.				



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION	No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment.
HAND MATERIAL PROTECTION	Nitrile rubber
EYE PROTECTION	Safety glasses

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid
COLOR	Colorless
ODOR	Slight
ODOR THRESHOLD	No data available
PH	Not applicable
MELTING POINT/FREEZING POINT	Is not determined
INITIAL BOILING POINT AND BOILING RANGE	Is not determined
FLASH POINT	Not applicable
EVAPORATION RATE	Is not determined
FLAMMABILITY	Not classified as a flammability hazard
UPPER/LOWER FLAMMABILITY/EXPLOSIVE LIMITS	Upper flammability limit Not applicable Lower flammability limit Not applicable
VAPOR PRESSURE	Is not determined
DENSITY	0.98 g/cm ³
REGULATORY VOC (MIXED)	18 g/L
SOLUBILITY(IES) WATER SOLUBILITY	Dispersible



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

PARTITION COEFFICIENT: N-
OCTANOL/WATER No data available

AUTO-IGNITION
TEMPERATURE Is not determined

VISCOSITY
VISCOSITY, KINEMATIC Is not determined

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY The product is chemically stable.

POSSIBILITY OF
HAZARDOUS REACTIONS Hazardous polymerization does not occur.

HAZARDOUS
DECOMPOSITION PRODUCTS Stable under normal conditions.

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

PRODUCT:

ACUTE ORAL TOXICITY Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

ACUTE INHALATION
TOXICITY Acute toxicity estimate : > 200 mg/l
Exposure time: 4 Hours
Test atmosphere: vapor
Method: Calculation method

COMPONENTS:

N-(3-
(trimethoxysilyl)propyl)ethylened
iamine Acute oral toxicity:
LD50 Oral Rat: 2,995 mg/kg

HEALTH EFFECTS:

SKIN
CORROSION/IRRITATION No data available

SERIOUS EYE DAMAGE/EYE
IRRITATION No data available

RESPIRATORY OR SKIN
SENSITIZATION No data available

GERM CELL MUTAGENICITY No data available



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

STOT (SPECIFIC TARGET ORGAN TOXICITY)- SINGLE EXPOSURE No data available

STOT (SPECIFIC TARGET ORGAN TOXICITY) – REPEATED EXPOSURE No data available

CARCINOGENICITY No data available

REPRODUCTIVE TOXICITY No data available

ASPIRATION TOXICITY No data available

SECTION 12 – ECOLOGICAL INFORMATION

ECOTOXICITY No data available

PERSISTENCE & DEGRADABILITY No data available

BIOACCUMULATION POTENTIAL Mobility in soil:
No data available

Other adverse effects:
No data available

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL RECOMMENDATIONS To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14 – TRANSPORT INFORMATION

UN-NUMBER:
DOT Not regulated
ADN, IMDG, LATA Not regulated

UN PROPER SHIPPING NAME:
DOT Not regulated
ADN, IMDG, LATA Not regulated

TRANSPORT HAZARD CLASS(ES):



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

DOT CLASS	Not regulated
AND/R CLASS	Not regulated
PACKING GROUP:	
DOT	Not regulated
IMDG, LATA	Not regulated
ENVIRONMENTAL HAZARD	Not applicable
SPECIAL PRECAUTIONS FOR USERS	Not applicable
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE	Not applicable
UN "MODEL REGULATION"	Not regulated

SECTION 15 - REGULATIONS

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

SARA 311/312 HAZARDS

Respiratory or skin sensitization.
Specific target organ toxicity (single or repeated exposure).
Serious eye damage or eye irritation.

SARA 302

This material does not contain any components with a section 302 EHS TPQ.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CLEAN AIR ACT

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

US STATE REGULATIONS:

CALIFORNIA PROPOSITION 65

WARNING: This product can expose you to chemicals including Toluene and Methanol, which are known to the State of California to cause developmental toxicity. For more information go to www.P65Warnings.ca.gov.



SAFETY DATA SHEET 1148

IKO MILLENNIUM ADHESIVE

Hazardous ingredients	CAS-No.	%
Toluene	108-88-3	≤10 PPM
Methanol	67-56-1	≤10 PPM

The ingredients of this product are reported in the following inventories:

TSCA (TOXIC SUBSTANCES CONTROL ACT)
All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirement.

(DSL) CANADA DOMESTIC SUBSTANCE LIST
All components of this product are on the DSL (Canada Domestic Substance List) or are exempt from DSL requirements.

INVENTORIES LEGEND
TSCA (USA), DSL (Canada), REACH(Europe), AIIIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16 – OTHER INFORMATION

REVISION DATE OF SDS	April 20, 2026
REPLACES THE MSDS/SDS FROM	January 23, 2018
PREPARED BY	C&C Department
GENERAL INFORMATION	1-888-766-2468
WEBISTE	www.iko.com
OTHER INFO/DISCLAMERS	Read this Safety Data Sheet before handling or disposing of this product.

This product safety information is provided to help our customers with health, safety and/or environmental matters. We have taken reasonable effort to ensure that the test methods and sources for this data are correct and reliable, however, we give no warranty, expressed or implied, regarding its correctness. Since conditions or methods of handling and using this product are beyond our control, we do not assume responsibility and expressly disclaim liability for damages resulting from or connected with the handling, storage, use or disposal of the product.