

InnoviPrime TPO Primer LVOC

SECTION 1 – SUBSTANCE IDENTITY AND COMPANY CONTACT INFORMATION

PRODUCT NAME InnoviPrime TPO Primer LVOC

TRADE NAME

PRODUCT NUMBER 6100014

CHEMICAL FAMILY No information availble

PRODUCT USE Primer

MANUFACTURER/SUPPLIER IKO Industries Ltd.

160 IKO Way

Hagerstown, MD 21740

United States

WEBSITE www.iko.com

EMERGENCY NUMBER CANUTEC: 1-613-996-6666 (24 hours information only)

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

SIGNAL WORD Danger

SYMBOL(S)







CLASSIFICATION Flammable Liquids – Category 2

Aspiration Hazard – Category 1 Skin Irritation – Category 2 Eye Irritation – Category 2A

Reproductive Toxicity - Category 2

Specific Target Organ Toxicity, Repeated Exposure - Category 2

HAZARD STATEMENTS Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

May be fatal if swallowed and enters airways.

PRECAUTIONARY STATEMENTS Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.



InnoviPrime TPO Primer LVOC

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell. Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

NFPA Health: 2

Flammability: 3 Reactivity: 0

HMIS Health: 2

Flammability: 3
Physical Hazards: 0

SECTION 3 - CHEMICAL COMPOSITION AND DATA ON COMPONENTS

CHEMICAL CHARACTERIZATION

Mixtures

CHEMICAL NAME	% (w/w)	CAS NUMBER
4-Chloro-alpha,alpha,alpha-trifluorotoluene	50-100%	98-56-6
toluene	5-20%	108-88-3
Isobutylene Copolymer	≤2.5%	Information not available
xylene	≤0.5%	1330-20-7



InnoviPrime TPO Primer LVOC

SECTION 4 - FIRST AID

INHALATION In case of unconsciousness place patient stably in side position for

transportation. Call a doctor immediately. Overexposure, remove to

fresh air and seek medical attention.

INGESTION Rinse out mouth with water. Drink 1 - 2 glasses of water but DO NOT

induce vomiting.Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Call a doctor immediately. Seek

medical treatment.

SKIN CONTACT Wipe excess from skin. Immediately wash with water and soap and

rinse thoroughly.

EYE CONTACT Rinse opened eye for 20 minutes under running water. Call a Doctor

immediately.

ACUTE AND CHRONIC

SYMPTOMS

No further relevant information available.

MEDICAL ATTENTION No further relevant information available.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA Suitable extinguishing agents: CO2, Sand, Extinguishing powder. Do

not use water. Unsuitable extinguishing agents: Water

ADVICE FOR FIRE FIGHTING Protective equipment: Protective clothing and respiratory protective

device.

FLAMMABILITY Flammable.

PROPERTIES Form: Liquid

Color: Clear Odor: Solvent-like

Odor threshold: Not determined

FLASH POINT 7.8 °C (46 °F)

FLAMMABLE No information available

AUTO IGNITION

TEMPERATURE

Product is not selfigniting.



InnoviPrime TPO Primer LVOC

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE MEASURES AND **EMERGENCY PROCEDURES**

Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away

Protective Action Criteria for Chemicals -

PAC-1:

108-88-3	toluene	67 ppm
112945-53-5	Amorphous Silica	18 mg/m³
1330-20-7	xylene	130 ppm

PAC-2:

108-88-3	toluene	560 ppm
112945-53-5	Amorphous Silica	100 mg/m ³
1330-20-7	xylene	920* ppm

PAC-3:

108-88-3	toluene	3700* ppm
112945-53-5	Amorphous Silica	630 mg/m ³
1330-20-7	xylene	2500* ppm

ENVIRONMENTAL PRECAUTIONS

Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

SPILL MANAGEMENT

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation. Do not flush with water or aqueous

cleansing agents

REFERENCE TO OTHER **SECTIONS**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7 - HANDLING AND STORAGE

HANDLING PROCEDURE Avoid prolonged or repeated contact with skin. Avoid contact with

eves. Wash thoroughly after handling. Open containers in a well ventilated area and avoid breathing headspace vapors. Open and

handle receptacle with care. Prevent formation of aerosols.

STORAGE PRECAUTIONS Requirements to be met by storerooms and receptacles: Store in a

cool location away from direct heat. (0-50C) (Metal Can, no water)

Information about storage in one common storage facility: Store away

from oxidizing agents.



InnoviPrime TPO Primer LVOC

Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

CONTROL PARAMETERS

Components with limit values that require monitoring at the workplace: The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

	EXPOSURE LIMITS			
CHEMICAL NAME	PEL	REL	TLV	Biological Limit
108-88-3 toluene	Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm	Long-term value: 75 mg/m³, 20 ppm BEI	0.02 mg/L Medium: blood Time: prior to last shift of workweek Parameter: Toluene 0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene 0.3 mg/g creatinine Medium: urine Time: end of shift Parameter: o-Cresol with hydrolysis (background)
1330-20-7 xylene	Long-term value: 435 mg/m³, 100 ppm	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm	Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI	1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids

ENGINEERING MEASURES No further information available.

PERSONAL PROTECTIVE

EQUIPMENT

See listings below

RESPIRATORY PROTECTION

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application.

determine the appropriate type of equipment for a given applicat Observe respirator use limitations specified by the manufacturer.

BODY PROTECTION Protective work clothing

EYE PROTECTION Safety glasses with side shields.

HYGIENE MEASURES Keep away from foodstuffs, beverages and feed. Immediately remove



InnoviPrime TPO Primer LVOC

all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

OTHER CONTROLS

Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and must be observed.

SECTION 9 – PHYSCAL AND CHEMICAL PROPERTIES

APPEARANCE (PHYSICAL Form: Liquid STATE, COLOR etc.) Form: Liquid Color: Translucent

ODOR Characteristic

ODOR THRESHOLD Not determined

PH Not determined.

MELTING POINT/FREEZING

POINT

Melting point: Undetermined.

INITIAL BOILING POINT AND

BOILING RANGE

Boiling point: 111 °C (231.8 °F)

FLASH POINT 7.2 °C (45 °F)

EVAPORATION RATE Not determined.

FLAMMABILITY Flammable.

UPPER/LOWER

FLAMMABILITY/EXPLOSIVE

LIMITS

Lower: 1.2 Vol % Upper: 7.0 Vol %

VAPOR PRESSURE 20 °C (68

22 mm Hg

°F)



InnoviPrime TPO Primer LVOC

VAPOR DENSITY >1

RELATIVE DENSITY Not determined.

MOLECULAR WEIGHT No information available

SOLUBILITY(IES) Insoluble

PARTITION COEFFICIENT: N-

OCTANOL/WATER

Not determined.

AUTO-IGNITION TEMPERATURE

Product is not selfigniting.

SPECIFIC GRAVITY 20 °C (68

٥F

1.2 g/cm³ (10.014 lbs/gal)

VISCOSITY Dynamic: Not determined.

Kinematic: Not determined.

SOLVENT CONTENT VOC (Per EPA 24): 240 g/L

SOLIDS CONTENT 10%

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY No further relevant information available.

CHEMICAL STABILITY No further relevant information available.

POSSIBILITY OF

HAZARDOUS REACTIONS

No dangerous reactions known.

CONDITIONS TO AVOID Heat, flames, sparks.

INCOMPATIBLE MATERIALS Reacts with strong oxidizing agents.

HAZARDOUS Carbon monoxide and carbon dioxide. Nitrogen oxides. Silicon

DECOMPOSITION PRODUCTS Oxides

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE/CHRONIC TOXICITY LD/LC50 values that are relevant for classification:

108-88-3 toluene

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	12,124 mg/kg (rabbit)
Inhalative	LC50/4 h	5,320 mg/l (mouse)



InnoviPrime TPO Primer LVOC

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE No further information available

PRIMARY ROUTE OF

EXPOSURE

On the skin: Skin irritant

EYES Irratating effect. Vapors may be irritating to the eyes.

SKIN Irritant to skin and mucous membranes.

INHALATION No further relevant information available.

INGESTION No further relevant information available.

STOT (SPECIFIC TARGET ORGAN TOXICITY)- SINGLE

EXPOSURE

No further relevant information available.

STOT (SPECIFIC TARGET ORGAN TOXICITY) – REPEATED EXPOSURE May cause damage to organs through prolonged or repeated

exposure.

CARCINOGENICITY IARC (International Agency for Research on Cancer)

 108-88-3
 toluene
 Group 3

 1330-30-7
 xylene
 Group 3

NTP (National Toxicology Program): None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

REPRODUCTIVE TOXICITY

DEVELOPMENT Chemicals known to cause developmental toxicity:

OF OFFSPRING 108-88-3 toluene

SEXUAL FUNCTION Chemicals known to cause reproductive toxicity for females:

AND FERTILITY None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

SECTION 12 - ECOLOGICAL INFORMATION

AQUATICTOXICITY No further relevant information available.

PERSISTENCE & DEGRADABILITY

No further relevant information available.

BIODEGRADATION MOBILITY No further relevant information available.



InnoviPrime TPO Primer LVOC

BIOACCUMULATION

POTENTIAL

No further relevant information available.

MOBILITY IN SOILS

No further relevant information available.

GENERAL NOTES

At present, there are no ecotoxicological assessments available

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL

Waste treatment methods:

RECOMMENDATIONS

Must be specially treated adhering to official regulations.

Uncleaned packagings:

Disposal must be made according to official regulations

SECTION 14 – TRANSPORT INFORMATION

Class 3 Flammable liquids. Label 3

UN-NUMBER:

UN1133

DOT

ADN, IMDG, IATA

UN PROPER SHIPPING

Adhesives

NAME: DOT

ADN, IMDG, IATA

TRANSPORT HAZARD

CLASS(ES):

DOT

ADN, IMDG, IATA CLASS

PACKING GROUP: PGII

DOT

IMDG, IATA

ENVIRONMENTAL HAZARD Not applicable

SPECIAL PRECAUTIONS

FOR USERS

Warning: Flammable liquids · Danger code (Kemler): 33 EMS Number: F-E,S-D

Segregation groups: Liquid halogenated hydrocarbons

TRANSPORT IN BULK ACCORDING TO ANNEX II

OF MARPOL 73/78 AND THE

IBC CODE

Not applicable.

UN "MODEL REGULATION"

UN1133, Adhesives, mixture, 3, II



InnoviPrime TPO Primer LVOC

SECTION 15 - REGULATIONS

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings): 108-88-3 *toluene*

1330-20-7 xylene

TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

Proposition 65:

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

108-88-3 toluene

(DSL) Canada Dosmestic Substance List:

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

New Jersey Right-to-Know List:

108-88-3 toluene 1330-20-7 xylene

New Jersey Special Hazardous Substance List:

108-88-3 toluene TE, F3

1330-20-7 xylene F3

Pennsylvania Right-to-Know List:

108-88-3 toluene

1330-20-7 xylene

Pennsylvania Special Hazardous Substance List:

108-88-3 toluene E

1330-20-7 xvlene E

Cancerogenity categories · EPA (Environmental Protection Agency):

108-88-3 toluene II

1330-20-7 xylene I

TLV (Threshold Limit Value established by ACGIH):

108-88-3 toluene A4

1330-20-7 xylene A4



InnoviPrime TPO Primer LVOC

MAK (German Maximum Workplace Concentration): None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients is listed.

National regulations:

Information about limitation of use: Use by properly trained workers recommended.

Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16 – OTHER INFORMATION

REVISION DATE OF SDS June 28 2024

REPLACES THE MSDS/SDS

FROM

January 27, 2021

PREPARED BY Research Department

GENERAL INFORMATION 1-888-766-2468

WEBSITE www.iko.com

OTHER INFO/DISCLAMERS Read this Safety Data Sheet before handling or disposing of this

product.

This product safety information is provided to help our customers with health, safety and/or environmental matters. We have taken reasonable effort to ensure that the test methods and sources for this data are correct and reliable, however, we give no warranty, expressed or implied, regarding its correctness. Since conditions or methods of handling and using this product are beyond our control, we do not assume responsibility and expressly disclaim liability for damages resulting from or connected with the handling, storage, use

or disposal of the product.