

InnoviSeal Water Stop Mastic

SECTION 1 – SUBSTANCE IDENTITY AND COMPANY CONTACT INFORMATION

PRODUCT NAME InnoviSeal Water Stop Mastic

TRADE NAME Single-Ply Bonding Adhesive

PRODUCT NUMBER 6100008

CHEMICAL FAMILY No information available.

PRODUCT USE Sealant

MANUFACTURER/SUPPLIER IKO Industries Ltd.

160 IKO Way

Hagerstown, MD 21740

United States

WEBSITE www.iko.com

EMERGENCY NUMBER CANUTEC: 1-613-996-6666 (24 hours information only)

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

SIGNAL WORD Warning

SYMBOL(S)

 $\langle ! \rangle$

CLASSIFICATION Skin Irritation – Category 2

Eye Irritation - Category 2A

HAZARD STATEMENTS Causes skin irritation.

Causes serious eye irritation.

Wash thoroughly after handling.

PRECAUTIONARY

STATEMENTS Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

NFPA Health: 2

Flammability: 2 Reactivity: 0



InnoviSeal Water Stop Mastic

HMIS Health: 2

Flammability: 2 Physical Hazards: 0

SECTION 3 - CHEMICAL COMPOSITION AND DATA ON COMPONENTS

CHEMICAL NAME	% (w/w)	CAS NUMBER
calcium carbonate	25-50%	471-34-1
kaolin	5-20%	1332-58-7
Stoddard solvent (mineral spirits)	2.5-10%	8052-41-3
Magnesite	2.5-10%	546-93-0
Precipitated silica (Silica-Amorphous	≤1%	112926-00-8
calcium oxide	≤1%	1305-78-8
titanium dioxide	≤1%	13463-67-7

SECTION 4 - FIRST AID

INHALATION Overexposure, remove to fresh air and seek medical attention

INGESTION Seek medical treatment.

SKIN CONTACT Wipe excess from skin. Immediately wash with water and soap and

rinse thoroughly.

EYE CONTACT Rinse opened eye for 20 minutes under running water. If eye

becomes irritated, obtain medical treatment.

ACUTE AND CHRONIC

SYMPTOMS

No further relevant information available.

MEDICAL ATTENTION No further relevant information available.

SECTION 5 - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA Suitable extinguishing agents: CO2, Sand, Extinguishing powder or

water spray. Fight larger fires with water spray.

ADVICE FOR FIRE FIGHTING Protective clothing and respiratory protective device.

FLAMMABILITY Not determined

PROPERTIES Form: Pasty

Color: Gray

Odor: Hydrocarbon-like

Odor threshold: Not determined



InnoviSeal Water Stop Mastic

FLASH POINT Not applicable.

FLAMMABLE Not applicable. LIMITS IN AIR

AUTO IGNITION Product is not selfigniting. TEMPERATURE

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE MEASURES AND EMERGENCY PROCEDURES Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away

Protective Action Criteria for Chemicals ·

PAC-1:

471-34-1	calcium carbonate	45 mg/m³
546-93-0	Magnesite	45 mg/m³
112926-00-8	Precipitated silica	18 mg/m³
	(Silica-Amorphous)	
1305-78-8	calcium oxide	6 mg/m³

PAC-2:

471-34-1	calcium carbonate	210 mg/m ³
546-93-0	Magnesite	260 mg/m ³
112926-00-8	Precipitated silica (Silica-Amorphous)	200 mg/m ³
1305-78-8	calcium oxide	110 mg/m³

PAC-3:

471-34-1	calcium carbonate	1300 mg/m³
546-93-0	Magnesite	1600 mg/m ³
112926-00-8	Precipitated silica (Silica-Amorphous)	1200 mg/m³
1305-78-8	calcium oxide	660 mg/m ³

ENVIRONMENTAL PRECAUTIONS

Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

SPILL MANAGEMENT

Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information



InnoviSeal Water Stop Mastic

SECTION 7 - HANDLING AND STORAGE

HANDLING PROCEDURE Open and handle receptacle with care.

STORAGE PRECAUTIONS Requirements to be met by storerooms and receptacles: No special

requirement.

Information about storage in one common storage facility:

Keep container closed when not in use. Keep respiratory protective

device available.

Further information about storage conditions: Keep receptacle tightly

sealed.

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

Components with limit values that require monitoring at the workplace: The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

	EXPOSURE LIMITS		
CHEMICAL NAME	PEL	REL	TLV
471-34-1 Calcium Carbonate	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	TLV withdrawn
1332-58-7 Kaolin	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	Long-term value: 2* mg/m³ E; as respirable fraction
8052-41-3 Stoddard Solvent (mineral spirits) oxide	Long-term value: 2900 mg/m³, 500 ppm	Long-term value: 350 mg/m³ Ceiling limit value: 1800* mg/m³ *15-min	Long-term value: 525 mg/m³, 100 ppm
546-93-0 Magnesite	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	TLV withdrawn
112926-00-8 Precipitated Silica (Silica-Amorphous	20mppcf or 80mg/m3 /%SiO2	Long-term value: 6 mg/m³	TLV withdrawn
1305-78-8 Calcium Oxide	Long-term value: 5 mg/m³	Long-term value: 2 mg/m³	Long-term value: 2 mg/m³
13463-67-7 Titanium Dioxide	Long-term value: 15* mg/m³ *total dust	See Pocket Guide App. A	Long-term value: 10 mg/m³ withdrawn from NIC



InnoviSeal Water Stop Mastic

ENGINEERING MEASURES No further information available.

PERSONAL PROTECTIVE

EQUIPMENT

See listings below

RESPIRATORY PROTECTION

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

BODY PROTECTION Protective work clothing

EYE PROTECTION Safety glasses with side shields. Tightly sealed goggles.

HYGIENE MEASURES Keep away from foodstuffs, beverages and feed. Immediately remove

all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact

with the eyes and skin.

OTHER CONTROLS Protection of hands: The glove material has to be impermeable and

resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given

for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

Material of gloves:

Protective gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and must

be observed.

SECTION 9 – PHYSCAL AND CHEMICAL PROPERTIES

APPEARANCE (PHYSICAL Form: Pasty STATE, COLOR etc.) Color: Gray

ODOR Hydrocarbon-like

ODOR THRESHOLD Not determined

PH Not applicable.



InnoviSeal Water Stop Mastic

MELTING POINT/FREEZING

POINT

Melting point: Undetermined.

INITIAL BOILING POINT AND

BOILING RANGE

Boiling point: Undetermined.

IGNITION TEMPERATURE 230 °C (446 °F)

FLASH POINT Not applicable.

EVAPORATION RATE Not determined.

FLAMMABILITY Not determined.

UPPER/LOWER

FLAMMABILITY/EXPLOSIVE

LIMITS

Lower: 1.1 Vol % Upper: 6.0 Vol %

VAPOR PRESSURE Not applicable.

VAPOR DENSITY Not applicable.

RELATIVE DENSITY Not determined.

MOLECULAR WEIGHT No information available.

SOLUBILITY(IES) Insoluble.

PARTITION COEFFICIENT: N-

OCTANOL/WATER

Not determined.

AUTO-IGNITION TEMPERATURE

Product is not selfigniting.

SPECIFIC GRAVITY 20 °C (68

1.4 g/cm³ (11.683 lbs/gal)

VISCOSITY Dynamic: Not determined.

Kinematic: >20.5cSt.

Organic solvents: 15.0 % SOLVENT CONTENT

SOLIDS CONTENT 85.0%

OTHER INFORMATION VOC = 5.17 LBS/GAL WEIGHT PER GALLON = 6.98 LBS

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY No further relevant information available.



InnoviSeal Water Stop Mastic

CHEMICAL STABILITY

POSSIBILITY OF No dangerous reactions known. No decomposition if used according

HAZARDOUS REACTIONS to specifications.

CONDITIONS TO AVOID Heat, flames, sparks.

INCOMPATIBLE MATERIALS Reacts with strong oxidizing agents.

HAZARDOUS No dangerous decomposition products known.

DECOMPOSITION PRODUCTS

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE/CHRONIC TOXICITY LD/LC50 values that are relevant for classification:

108-88-3 toluene

Oral	LD50 5,000 mg/kg (rat)	
Dermal	LD50	12,124 mg/kg (rabbit)
Inhalative	LC50/4 h	5,320 mg/l (mouse)

MEDICAL CONDITIONS
AGGRAVATED BY EXPOSURE

No further information available

PRIMARY ROUTE OF

EXPOSURE

On the skin: Skin irritant

On the eye: May irritate the eye.

EYES May irritate the eye.

SKIN Irritant to skin and mucous membranes.

INHALATION No further information available

INGESTION No further information available

CARCINOGENICITY IARC (International Agency for Research on Cancer)

l ,		Precipitated silica (Silica-Amorphous)	Group 3
13463-67-	7	titanium dioxide	Group 2B

NTP (National Toxicology Program): None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients is listed.

ADDITIONAL INFORMATION Due to the form of this product, exposure to the potentially

carcinogenic components is not expected.



InnoviSeal Water Stop Mastic

SECTION 12 – ECOLOGICAL INFORMATION

AQUATICTOXICITY No further relevant information available.

PERSISTENCE & DEGRADABILITY

No further relevant information available.

BIODEGRADATION MOBILITY No further relevant information available.

BIOACCUMULATION

POTENTIAL

No further relevant information available.

MOBILITY IN SOILS No further relevant information available.

GENERAL NOTES Do not allow product to reach ground water, water course or sewage

system.

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL Waste treatment methods:

RECOMMENDATIONS Must not be disposed of together with household garbage. Do not

allow product to reach sewage system. Disposal must be made

according to official regulations.

Uncleaned packagings:

Disposal must be made according to official regulations

SECTION 14 – TRANSPORT INFORMATION

UN-NUMBER:

DOT

ADN, IMDG, IATA

Not regulated.

UN PROPER SHIPPING

NAME:

DOT

ADN, IMDG, IATA

Not regulated.

TRANSPORT HAZARD

CLASS(ES):

DOT

ADN, IMDG, IATA CLASS

Not regulated.

PACKING GROUP:

DOT

IMDG, IATA

Not regulated.



InnoviSeal Water Stop Mastic

ENVIRONMENTAL HAZARDS

HAZARDS

Not applicable.

SPECIAL PRECAUTIONS

FOR USERS

Not applicable.

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

Not applicable.

IBC CODE

TRANSPORT/ADDITIONAL

INFORMATION

This product is not classified as a Division 4.1 Flammable Solids according to UN Test N.1 Test Method for Readily Combustibile Solids.

UN "MODEL REGULATION"

Not regulated.

SECTION 15 - REGULATIONS

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

Hazardous Air Pollutants:

108-88-3 toluene

Proposition 65:

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(DSL) Canada Dosmestic Substance List:

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

New Jersey Right-to-Know List:

1332-58-7 Kaolin

1317-65-3 Limestone

546-93-0 Magnesite

112926-00-8 Precipitated silica (Silica-Amorphous)

InnoviSeal Water Stop Mastic

1305-78-8 calcium oxide 13463-67-7 titanium dioxide

New Jersey Special Hazardous Substance List: 1305-78-8 *calcium oxide*

Pennsylvania Right-to-Know List: 1332-58-7 *Kaolin* 1317-65-3 *Limestone* 1305-78-8 *calcium oxide* 13463-67-7 *titanium dioxide*

Pennsylvania Special Hazardous Substance List: None of the ingredients is listed.

Cancerogenity categories EPA (Environmental Protection Agency): None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH): 1332-58-7 *Kaolin* 13463-67-7 *titanium dioxide*

MAK (German Maximum Workplace Concentration): 13463-67-7 *titanium dioxide*

NIOSH-Ca (National Institute for Occupational Safety and Health): 13463-67-7 *titanium dioxide*

National regulations:

Information about limitation of use: Use by properly trained workers recommended

Water hazard class: Not determined

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16 – OTHER INFORMATION

REVISION DATE OF SDS June 28 2024

REPLACES THE MSDS/SDS

FROM

January 27, 2021

PREPARED BY Research Department

GENERAL INFORMATION 1-888-766-2468

WEBSITE www.iko.com

OTHER INFO/DISCLAMERS Read this Safety Data Sheet before handling or disposing of this

product.

This product safety information is provided to help our customers with



InnoviSeal Water Stop Mastic

health, safety and/or environmental matters. We have taken reasonable effort to ensure that the test methods and sources for this data are correct and reliable, however, we give no warranty, expressed or implied, regarding its correctness. Since conditions or methods of handling and using this product are beyond our control, we do not assume responsibility and expressly disclaim liability for damages resulting from or connected with the handling, storage, use or disposal of the product.