

IKO MILLENNIUM ADHESIVE

SECTION 1 – SUBSTANCE IDENTITY AND COMPANY CONTACT INFORMATION

PRODUCT NAME	IKO Millennium Adhesive 1.5 L Cartridge Set Part 1 of 2
TRADE NAME	Foamable Adhesive
PRODUCT NUMBER	1AD0001
CHEMICAL FAMILY	Mixture
PRODUCT USE	Adhesive
MANUFACTURER/SUPPLIER	IKO Industries Ltd. 160 IKO Way Hagerstown, MD 21740 United States
WEBSITE	www.iko.com
EMERGENCY NUMBER	CANUTEC: 1-613-996-6666 (24 hours information only)

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

SIGNAL WORD	DANGER
SYMBOL(S)	
CLASSIFICATION	Acute Toxicity – Category 4 Eye Irritation – Category 2A Respiratory Sensitivity – Category 1 Skin Irritation – Category 2 Skin Sensitization – Category 1 Specific Target Organ Toxicity (repeated exposure) – Category 2 Specific Target Organ Toxicity (single exposure) – Category 3
HAZARD STATEMENTS	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure.
PRECAUTIONARY STATEMENTS	P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling.



IKO MILLENNIUM ADHESIVE

	 P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves / eye protection / face protection. P285 [In case of inadequate ventilation] wear respiratory protection. P304 P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P320 Specific treatment (see on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P342 If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P362 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
NFPA	Health:1 Flammability:1 Instability:0
HMIS	Health:1 Flammability:1 Physical Hazards:0

SECTION 3 – CHEMICAL COMPOSITION AND DATA ON COMPONENTS

HAZARDOUS CHEMICAL NAME	% (w/w)	CAS NUMBER
Diphenylmethane diisocyanate, isomers and homologues	25-50	9016-87-9
4,4'-methylene diphenyl diisocyanate	25-50	101-68-8
Methylene diphenyl diisocyanate	2.5-10	26447-40-5

SECTION 4 – FIRST AID

INHALATION

For overexposure, remove to fresh air and seek medical attention. In case of unconsciousness place patient stably in side position for transportation. Call a doctor immediately.



IKO MILLENNIUM ADHESIVE

INGESTION	Rinse out mouth with water. Drink 1 - 2 glasses of water but DO NOT induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Seek medical treatment.
SKIN CONTACT	If skin becomes irritated seek medical attention. Immediately wash with water and soap and rinse thoroughly.

EYE CONTACT Rinse opened eye for 20 minutes under running water. Call a Doctor immediately.

ACUTE AND CHRONIC	No further relevant information available.
SYMPTOMS	

MEDICAL ATTENTION Symptoms of poisoning may even occur after several hours; therefore-medical observation for at least 48 hours after the accident.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA Carbon dioxide, sand, extinguishing powder. Do NOT use water.

- FIRE FIGHTING Use firefighting measures that suit the environment. Product reacts with water. Reaction may produce heat and/or gases. Product is not explosive. However, formation of explosive air/vapor mixtures is possible.
- FLAMMABILITY Not applicable.

PROPERTIES:

- FLASH POINT 176°C (349°F)
- FLAMMABLE Lower Flammability Limit (% vol): 0.9 LIMITS IN AIR Upper Flammability Limit (% vol): 6.7
- AUTO IGNITION No information available.
- SPECIAL PPE FOR Protective clothing and respiratory protective device. FIRE-FIGHTERS

SECTION 6 – ACCIDENTAL RELEASE MEASURES

ENVIRONMENTAL PRECAUTIONS No special measures required.



IKO MILLENNIUM ADHESIVE

SPILL MANAGEMENT Cover spilled material with neutralization solution (see below) and mix. Wait 15 minutes. Collect material in open head metal containers. Repeat neutralization and cleaning process until surface is decontaminated. Apply drum lid but DO NOT secure. Allow containers to vent for 72 hours to let carbon dioxide escape. Absorb with liquidbinding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

Neutralization solutions:

1. A mixture of 90% water. 3-8% ammonium hydroxide or concentrated ammonia, and 2% liquid detergent.

2. A mixture of 80% water, 20% non-ionic surfactant.

Apply solution. Wait 15 minutes. Collect in open-head container. Reapply until surface is decontaminated. Apply drum lid but DO NOT secure. Let containers vent for 72 hours allowing carbon dioxide to escape. Secure drum lid.

SECTION 7 - HANDLING AND STORAGE

HANDLING PROCEDURE Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash thoroughly after handling. Prevent formation of aerosols. Use personal protective equipment described in section 8, Exposure Control and Personal Protection.

STORAGE PRECAUTIONS Keep containers tightly closed when not in use. Protect from atmospheric moisture. Keep away from open flames and high temperatures. Storage Temperature: 32°F-90°F. Keep receptacle tightly sealed.

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

	OCCUPATIONAL EXPOSURE LIMITS				
CHEMICAL NAME	ALBERTA	ONTARIO	BRITISH COLUMBIA	OSHA	ACGIH
Diphenylmethane diisocyanate, isomers and homologues		No i	nformation availa	able.	
4,4'-methylene diphenyl diisocyanate	TWA : 0.005 ppm	TWA : 0.005 ppm Ceiling : 0.02 ppm	TWA : 0.005 ppm Ceiling : 0.01 ppm	Ceiling: 0.2 mg/m ³	TWA : 0.05 mg/m ³ Ceiling : 0.2 mg/m ³
Methylene diphenyl diisocyanate	No information available.				

MDI products have poor warning properties, since recognition of an odor is far above the TLV. Observe local/government regulations for respirator use.

ENGINEERING MEASURES Ensure adequate ventilation.



IKO MILLENNIUM ADHESIVE

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY Use approved respiratory protection equipment when airborne PROTECTION exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

SKIN AND BODY Apron. Protective work clothing PROTECTION

Protective gloves: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves: Chloroprene rubber (CR), Nitrile rubber (NBR), Butyl rubber (BR). The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- EYE PROTECTION Face Shield. Safety glasses with side shields. Tightly sealed goggles.
- HYGIENE MEASURES Keep away from food, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

OTHER CONTROLS No information available.

SECTION 9 – PHYSCAL AND CHEMICAL PROPERTIES

APPEARANCE (PHYSICAL STATE, COLOR etc.)	Off white- light amber liquid
ODOR	Faint Aromatic
ODOR THRESHOLD	No information available.
PH	No information available.
MELTING POINT/FREEZING POINT	No information available.



IKO MILLENNIUM ADHESIVE

INITIAL BOILING POINT AND BOILING RANGE	No information available.
FLASH POINT	176°C (349°F)
EVAPORATION RATE	No information available.
FLAMMABILITY	No information available.
UPPER/LOWER FLAMMABILITY/EXPLOSIVE LIMITS	Lower Flammability Limit (% vol): 0.9 Upper Flammability Limit (% vol): 6.7
	Product does not present an explosion hazard.
VAPOR PRESSURE	0 mm Hg
VAPOR DENSITY	No information available.
RELATIVE DENSITY	No information available.
MOLECULAR WEIGHT	No information available.
SOLUBILITY(IES)	Not miscible or difficult to mix.
PARTITION COEFFICIENT: N- OCTANOL/WATER	No information available.
AUTO-IGNITION TEMPERATURE	No information available.
SPECIFIC GRAVITY	1.12 g/cm³ (9.346 lbs/gal) 20°C (68°F):
VISCOSITY	No information available.

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY:

CHEMICAL STABILITY	Normally stable
POSSIBILITY OF HAZARDOUS REACTIONS	May produce violent reactions with bases and numerous organic substances including alcohols and amines. MDI reacts slowly with water to form Carbon Dioxide gas. This gas can cause sealed containers to expand and possibly rupture. Contact with moisture, other materials that react with isocyanates, or temperatures above 350°F, may cause polymerization.
	–

- CONDITIONS TO AVOID Exposure to high temperatures. Moisture.
- INCOMPATIBLE MATERIALS Reacts with amines, caustic alkali solutions, alcohols, ammonia, oxidizers, acids, polyols. Reacts with water forming carbon dioxidemay rupture sealed containers if contaminated with water.



IKO MILLENNIUM ADHESIVE

HAZARDOUS Carbon dioxide, carbon monoxide, oxides of nitrogen, dense black smoke, hydrogen cyanide, isocyanic acid, other undetermined compounds. Contact with moisture, other materials that react with isocyanates, or temperatures above 350°F (177°C), may cause polymerization.

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE/CHRONIC TOXICITY

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION		
101-68-8 4,4'-methylene diphenyl diisocyanate		
Oral	LD50	2200 mg/kg (mouse)

Repeated or prolonged exposure to MDI may result in isocyanate sensitization (chemical asthma) in some individuals, causing them to react to isocyanate exposure at concentrations below the established exposure limits. Symptoms include chest tightness, wheezing, coughing, and shortness of breath. Effects can be delayed. Overexposure can cause lung damage, including decreased lung function. Prolonged or repeated skin contact may cause irritation leading to dermatitis. Skin sensitization may also occur. Lung injury has been observed in laboratory animals after repeated excessive exposure to MDI/polymeric MDI aerosol droplets. Lung tumors have been observed in laboratory animals exposed to aerosol droplets of MDI/polymeric MDI (6 mg/m) for their lifetime. Tumors occurred concurrently with respiratory irritation and lung injury. Current exposure guidelines are expected to protect against these effects.

This product is harmful by inhalation, when in contact with the skin and if it is swallowed. This product may cause sensitization by inhalation and skin contact. Repeated inhalation of vapors may cause an allergic respiratory response, the onset of which may be delayed several hours after exposure. This product is irritating to the eyes. Symptoms include itching, burning, redness and tearing. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

MEDICAL CONDITIONS No information available. AGGRAVATED BY EXPOSURE

Skin Contact.

PRIMARY ROUTE OF EXPOSURE

HEALTH EFFECTS:

- EYES Irritating effect. Symptoms include itching, burning, redness and tearing.
- SKIN Skin irritant. Irritant to skin and mucous membranes. Sensitization possible through skin contact.



IKO MILLENNIUM ADHESIVE

- INHALATION Sensitization possible through inhalation. Allergic lung reaction such as asthma, which includes coughing, wheezing, chest pain and tightness, difficulty breathing and shortness of breath; irritation of the upper respiratory tract, which includes burning of mouth, throat, and chest.
- INGESTION Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

STOT (SPECIFIC TARGET ORGAN TOXICITY)- SINGLE EXPOSURE

No information available.

STOT (SPECIFIC TARGET No information available. ORGAN TOXICITY) – REPEATED EXPOSURE

CARCINOGENICITY

IARC (INTE CANCER)	ERNATIONAL AGENCY FOR RESEARCH ON	
9016-87-9	Diphenylmethane diisocyanate, isomers and homologues	Class 3
101-68-8	4,4'-methylene diphenyl diisocyanate	Class 3

NTP (NATIONAL TOXICOLOGY PROGRAM) None of the ingredients are listed.

OSHA-Ca (OCCUPATIONAL SAFETY & HEALTH	
ADMINISTRATION)	
None of the ingredients are listed.	

REPRODUCTIVE TOXICITY:

DEVELOPMENT	No information available.
OF OFFSPRING	

SEXUAL FUNCTION No information available. AND FERTILITY

GERM CELL MUTAGENICITY No information available.

SECTION 12 – ECOLOGICAL INFORMATION

No information available.

ECOTOXICITY No information available.

PERSISTENCE & DEGRADABILITY

BIODEGRADATION MOBILITY No information available.



IKO MILLENNIUM ADHESIVE

BIOACCUMULATION POTENTIAL

No information available.

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL RECOMMENDATIONS Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations. Disposal must be made according to official regulations.

SECTION 14 – TRANSPORT INFORMATION

UN-NUMBER: DOT ADN, IMDG, LATA	Not regulated Not regulated
UN PROPER SHIPPING NAME: DOT ADN, IMDG, LATA	Not regulated Not regulated
TRANSPORT HAZARD CLASS(ES): DOT ADN, IMDG, LATA CLASS	Not regulated Not regulated
PACKING GROUP: DOT IMDG, LATA	Not regulated Not regulated
ENVIRONMENTAL HAZARD	Not applicable
SPECIAL PRECAUTIONS FOR USERS	Not applicable
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE	Not applicable
TRANSPORT/ADDITIONAL INFORMATION	MDI (CAS 101-68-8) exhibits a CERCLA RQ equal to 5,000 pounds. Quantities less than the RQ amount are not regulated in transportation.
UN "MODEL REGULATION"	Not regulated



IKO MILLENNIUM ADHESIVE

SECTION 15 - REGULATIONS

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

SARA

SECTION 355 (EXTREMELY HAZAROUS SUBSTANCES)

None of the ingredients are listed

Section 313 (SPECIFIC TOXIC CHEMICAL LISTINGS)		
9016-87-9 Diphenylmethane diisocyanate, isomers and homologues		
101-68-8 4,4'-methylene diphenyl diisocyanate		

TSCA (TOXIC SUBSTANCES CONTROL ACT)

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirement

PROPOSITION 65

CHEMICALS KNOWN TO CAUSE CANCER:

None of the ingredients are listed

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES:

None of the ingredients are listed

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES:

None of the ingredients are listed

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY:

None of the ingredients are listed

(DSL) CANADA DOMESTIC SUBSTANCE LIST

All components of this product are on the DSL (Canada Domestic Substance List) or are exempt from DSL requirements:

NEW JERSEY RIGHT-TO-KNOW LIST:		
9016-87-9 Diphenylmethane diisocyanate, isomers and homologues		
101-68-8 4,4'-methylene diphenyl diisocyanate		

NEW JERSEY SPECIAL HAZARDOUS SUBSTANCE LIST:

None of the ingredients are listed

PENNSYLVANIA RIGHT-TO-KNOW LIST:

101-68-8 4,4'-methylene diphenyl diisocyanate



IKO MILLENNIUM ADHESIVE

PENNSYLVANIA SPECIAL HAZARDOUS SUBSTANCE LIST:			
101-68-8	4,4'-methylene diphenyl diisocyanate	Е	

CANCEROGENICITY CATEGORIES:

EPA (ENVIRONMENTAL PROTECTION AGENCY)		
9016-87-9	Diphenylmethane diisocyanate, isomers and homologues	CBD
101-68-8	4,4'-methylene diphenyl diisocyanate	D, CBD

TLV (THRESHOLD LIMIT VALUE ESTABLISHED BY ACGIH) None of the ingredients are listed.

MAK (GERMAN MAXIMUM WORKPLAVE CONCENTRATION)		
101-68-8	4,4'-methylene diphenyl diisocyanate	4
9016-87-9	Diphenylmethane diisocyanate, isomers and homologues	4

NIOSH-CA (NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH) None of the ingredients are listed.

CHEMICAL SAFETY ASSESSMENT: A Chemical Safety Assessment has not been carried out.

SECTION 16 – OTHER INFORMATION

- REVISION DATE OF SDS January 24, 2021
- REPLACES THE MSDS/SDS (new) FROM
- PREPARED BY HSE department

GENERAL INFORMATION 1-888-766-2468

- WEBSITE www.iko.com
- OTHER INFO/DISCLAMERS Read this Safety Data Sheet before handling or disposing of this product.

This product safety information is provided to help our customers with health, safety and/or environmental matters. We have taken reasonable effort to ensure that the test methods and sources for this data are correct and reliable, however, we give no warranty, expressed or implied, regarding its correctness. Since conditions or methods of handling and using this product are beyond our control, we do not assume responsibility and expressly disclaim liability for damages resulting from or connected with the handling, storage, use or disposal of the product.



IKO MILLENNIUM ADHESIVE

SECTION 1 – SUBSTANCE IDENTITY AND COMPANY CONTACT INFORMATION

PRODUCT NAME	IKO Millennium Adhesive 1.5 L Cartridge Set Part 2 of 2
TRADE NAME	Foamable Adhesive
PRODUCT NUMBER	None
CHEMICAL FAMILY	Mixture
PRODUCT USE	Adhesive
MANUFACTURER/SUPPLIER	IKO Industries Ltd. 160 IKO Way Hagerstown, MD 21740 United States
WEBSITE	www.iko.com
EMERGENCY NUMBER	CANUTEC: 1-613-996-6666 (24 hours information only)

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE		
SIGNAL WORD	WARNING	
SYMBOL(S)		
CLASSIFICATION	Eye Effects - Category 2A Skin Sensitization - Category 1 Skin Irritation - Category 2	
HAZARD STATEMENTS	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.	
PRECAUTIONARY STATEMENTS	 P261 Avoid breathing dust/fume/gas/mist/vapors/spray P264 Wash thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P290 Wear protective gloves / eye protection / face protection. P303+P361+P353 IF ON SKIN: Wash with plenty of water. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/attention. 	



IKO MILLENNIUM ADHESIVE

P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash it before reuse.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

NFPA Health: 1 Flammability: 1 Instability: 0 HMIS Health: 1

Health: 1 Flammability: 1 Physical Hazards: 0

SECTION 3 – CHEMICAL COMPOSITION AND DATA ON COMPONENTS

HAZARDOUS CHEMICAL NAME	% (w/w)	CAS NUMBER
N-[3-(trimethoxysilyl)propyl]ethylenediamine	≤ 2.5	1760-24-3

SECTION 4 – FIRST AID

INHALATION	For overexposure, remove to fresh air and seek medical attention. In case of unconsciousness place patient stably in side position for transportation. Call a doctor immediately.
INGESTION	Rinse out mouth with water. Drink 1 - 2 glasses of water but DO NOT induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Seek medical treatment.
SKIN CONTACT	Immediately wash with water and soap and rinse thoroughly.
EYE CONTACT	Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.
ACUTE AND CHRONIC SYMPTOMS	Refer to section 11, Toxicological Information, for additional information.

MEDICAL ATTENTION No information available.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA	No information available.
FIRE FIGHTING	Use firefighting measures that suit the environment. Dried solids can burn and release toxic fumes and vapors.



IKO MILLENNIUM ADHESIVE

FLAMMABILITY

No information available.

PROPERTIES:

FLASH POINT	> 350°C (> 662°F)
	Lower Flammability Limit (% vol): 0.9 Upper Flammability Limit (% vol): 6.7
AUTO IGNITION TEMPERATURE	This product is not self-igniting.
SPECIAL PPE FOR	Protective clothing and respiratory protective device.

SECTION 7 - HANDLING AND STORAGE

PERSONAL PRECAUTIONS, PROTECTIVE MEASURES AND EMERGENCY PROCEDURES

FIRE-FIGHTERS

Ensure adequate ventilation. Use personal protective equipment described in section 8, Exposure Control and Personal Protection.

Protective action criteria for chemicals:

PAC-1:		
67762-90-7	Synthetic Amorphous Silica	120 mg/m ³
1760-24-3	N-(3- (trimethoxysilyl)propyl]ethylenediamine	23 mg/m ³

PAC-2:		
67762-90-7	Synthetic Amorphous Silica	1300 mg/m ³
1760-24-3	N-(3- (trimethoxysilyl)propyl]ethylenediamine	250 mg/m ³

PAC-3:		
67762-90-7	Synthetic Amorphous Silica	7,900 mg/m ³
1760-24-3	N-(3- (trimethoxysilyl)propyl]ethylenediamine	1,500 mg/m ³

Do not allow to enter sewers/ surface or ground water.

ENVIRONMENTAL PRECAUTIONS

SPILL MANAGEMENT

Dispose of contaminated material as waste in accordance with federal state and local regulations. Use water, if necessary with cleansing agents.



IKO MILLENNIUM ADHESIVE

eyes. Wash thoroughly after handling. Open containers in a ventilated area and avoid breathing headspace vapors. Use per protective equipment described in section 8, Exposure Control Personal Protection.

```
STORAGE PRECAUTIONS
                              Store away from oxidizing agents.
```

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

		OCCUPATION	AL EXPOSURE LI	MITS	
CHEMICAL NAME	ALBERTA	ONTARIO	BRITISH COLUMBIA	OSHA	ACGIH
N-(3-(trimethoxysilyl) propyl]ethylenediamine		No inforr	nation available.		

ENGINEERING MEASURES

Ensure adequate ventilation.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION	Not necessary if room is well ventilated.
SKIN AND BODY PROTECTION	Protective work clothing.
	Protective gloves: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
	Material of gloves: Nitrile rubber (NBR), Chloroprene rubber (CR). The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
	Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
EYE PROTECTION	Safety glasses with side shields.
HYGIENE MEASURES	Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
OTHER CONTROLS	No information available.

of

of be



IKO MILLENNIUM ADHESIVE

SECTION 9 – PHYSCAL AND CHEMICAL PROPERTIES

APPEARANCE (PHYSICAL STATE, COLOR etc.)	Colorless Liquid
ODOR	Polyether
ODOR THRESHOLD	No information available.
PH	9-10 at 20°C
MELTING POINT/FREEZING POINT	No information available.
INITIAL BOILING POINT AND BOILING RANGE	No information available.
FLASH POINT	> 350°C (> 662°F)
EVAPORATION RATE	No information available.
FLAMMABILITY	Product is not flammable
UPPER/LOWER FLAMMABILITY/EXPLOSIVE LIMITS	Lower Flammability Limit (% vol): 0.9 Upper Flammability Limit (% vol): 6.7
LIMITS	Product does not present an explosion hazard.
VAPOR PRESSURE	No information available.
VAPOR DENSITY	No information available.
MOLECULAR WEIGHT	No information available.
SOLUBILITY(IES)	No information available.
PARTITION COEFFICIENT: N- OCTANOL/WATER	No information available.
AUTO-IGNITION TEMPERATURE	Product is not self-igniting.
SPECIFIC GRAVITY	0.98 g/cm³ (8.178 lbs/gal)
VISCOSITY	No information available.



IKO MILLENNIUM ADHESIVE

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY	Stable under recommended storage conditions.
POSSIBILITY OF HAZARDOUS REACTIONS	No decomposition if used according to specifications. No dangerous reactions known.
CONDITIONS TO AVOID	Exposure to high temperatures.
INCOMPATIBLE MATERIALS	Reacts with oxidizing agents.
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon monoxide, carbon dioxide and tin oxide

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE/CHRONIC TOXICITY	No information available.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	No information available.
PRIMARY ROUTE OF EXPOSURE	Skin contact.
HEALTH EFFECTS:	
EYES	May irritate the eye. Symptoms include itching, burning, redness and tearing. May cause eye burns.
SKIN	Skin irritant. Sensitization possible through skin contact.
INHALATION	Allergic lung reaction such as asthma, which includes coughing, wheezing, chest pain and tightness, difficulty breathing and shortness of breath; irritation of the upper respiratory tract, which includes burning of mouth, throat, and chest.
INGESTION	Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.
STOT (SPECIFIC TARGET ORGAN TOXICITY)- SINGLE EXPOSURE	No information available.
STOT (SPECIFIC TARGET ORGAN TOXICITY) – REPEATED EXPOSURE	No information available.



IKO MILLENNIUM ADHESIVE

CARCINOGENICITY

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER)

None of the ingredients are listed.

NTP (NATIONAL TOXICOLOGY PROGRAM)

None of the ingredients are listed

OSHA-Ca (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION) None of the ingredients are listed

REPRODUCTIVE TOXICITY

GERM CELL MUTAGENICITY

DEVELOPMENT OF OFFSPRING	No information available.
SEXUAL FUNCTION	No information available.

AND FERTILITY

SECTION 12 – ECOLOGICAL INFORMATION

No information available.

ECOTOXICITY No information available.

PERSISTENCE & No information available. DEGRADABILITY

BIODEGRADATION MOBILITY No information available.

BIOACCUMULATION No information available.

GENERAL INFORMATION Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations. Disposal must be made according to official regulations.



IKO MILLENNIUM ADHESIVE

SECTION 14 – TRANSPORT INFORMATION

UN-NUMBER: DOT ADN, IMDG, LATA	Not regulated Not regulated
UN PROPER SHIPPING NAME: DOT ADN, IMDG, LATA	Not regulated Not regulated
TRANSPORT HAZARD CLASS(ES): DOT CLASS AND/R CLASS	Not regulated Not regulated
PACKING GROUP: DOT IMDG, LATA	Not regulated Not regulated
ENVIRONMENTAL HAZARD	Not applicable
SPECIAL PRECAUTIONS FOR USERS	Not applicable
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE	Not applicable
UN "MODEL REGULATION"	Not regulated

SECTION 15 - REGULATIONS

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

SARA

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES) None of the ingredients are listed.

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS) None of the ingredients are listed.

TSCA (TOXIC SUBSTANCES CONTROL ACT)

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.



IKO MILLENNIUM ADHESIVE

PROPOSITION 65

CHEMICALS KNOWN TO CAUSE CANCER:

None of the ingredients are listed.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES:

None of the ingredients are listed.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY IN MALES:

None of the ingredients are listed.

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY:

None of the ingredients are listed.

(DSL) CANADA DOMESTIC SUBSTANCE LIST All components of this product are on the DSL (Canada Domestic Substance List) or are exempt from DSL requirements:

NEW JERSEY RIGHT-TO-KNOW LIST:

None of the ingredients are listed.

NEW JERSEY SPECIAL HAZARDOUS SUBSTANCE LIST:

None of the ingredients are listed.

PENNSYLVANIA RIGHT-TO-KNOW LIST:

None of the ingredients are listed.

PENNSYLVANIA SPECIAL HAZARDOUS SUBSTANCE LIST:

None of the ingredients are listed.

CANCEROGENICITY CATEGORIES:

EPA (ENVIRONMENTAL PROTECTION AGENCY)

None of the ingredients are listed.

TLV (THRESHOLD LIMIT VALUE ESTABLISHED BY ACGIH)

None of the ingredients are listed.

MAK (GERMAN MAXIMUM WORKPLACE CONCENTRATION)

None of the ingredients are listed.



IKO MILLENNIUM ADHESIVE

NIOSH-Ca (NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH) None of the ingredients are listed.

NATIONAL REGULATIONS:

· WATER HAZARD CLASS: Water Hazard class 1 (self-assessment): slightly hazardous for water.

· CHEMICAL SAFETY ASSESSMENT: A Chemical Safety Assessment has not been carried out.

SECTION 16 – OTHER INFORMATION

REVISION DATE OF SDS	June 28 2024
REPLACES THE MSDS/SDS FROM	January 27, 2021
PREPARED BY	Research Department
GENERAL INFORMATION	1-888-766-2468
WEBISTE	www.iko.com
OTHER INFO/DISCLAMERS	Read this Safety Data Sheet before handling or disposing of this product.
	This product safety information is provided to help our customers with health, safety and/or environmental matters. We have taken reasonable effort to ensure that the test methods and sources for this data are correct and reliable, however, we give no warranty, expressed or implied, regarding its correctness. Since conditions or methods of handling and using this product are beyond our control, we do not assume responsibility and expressly disclaim liability for damages resulting from or connected with the handling, storage, use or disposal of the product.