



- NOTES:
1. REFER TO IKO.COM/COMM FOR THE MOST UP TO DATE INSTALLATION INFORMATION.
 2. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL. IKO ASSUMES NO RESPONSIBILITY FOR THE INSTALLATION OF THE ASSOCIATED COMPONENTS OR DAMAGE TO THE ROOF SYSTEM DUE TO FAULTY INSTALLATION.
 3. A MINIMUM OF FOUR (4) PLATES AND FASTENERS ARE REQUIRED FOR MEMBRANE SECUREMENT AROUND ALL PENETRATION.
 4. APPLY INNOVISEAL TPO EDGE SEALANT AT ALL CUT OR EXPOSED MEMBRANE EDGES.

Title: MEMBRANE SECUREMENT AT PENETRATION WITH HD SEAMS PLATES AND COVER STRIP	Detail Number: T-P-8
---	-----------------------------

Issue Date: 8/01/2025	Maximum Warranty Term: 30-Years	Not to Scale
------------------------------	--	---------------------