



NOTES:

1. REFER TO IKO.COM/COMM FOR THE MOST UP TO DATE INSTALLATION INFORMATION.
2. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL. IKO ASSUMES NO RESPONSIBILITY FOR THE INSTALLATION OF THE ASSOCIATED COMPONENTS OR DAMAGE TO THE ROOF SYSTEM DUE TO FAULTY INSTALLATION.
3. REFER TO EXISTING ROOFING MANUFACTURERS' SPECIFICATIONS FOR SURFACE PREPARATION PROCEDURES.
4. WOOD NAILER MUST BE INSTALLED TO MEET APPLICABLE BUILDING CODES.
5. INSTALL IKO INNOVIFAST TERMINATION BAR WITH 1/4" GAP BETWEEN ADJOINING SECTIONS.
6. DO NOT BEND TERMINATION BAR AROUND CORNERS. TERMINATION BAR MUST BE TERMINATED WITH 1" (25 MM) MAXIMUM OF ALL SECTION ENDS.

Title: ROOF EDGE WITH METAL TERMINATION BAR

Detail Number: T-RE-7

Issue Date: 8/01/2025

Maximum Warranty Term: 20-Years

Not to Scale



**COMMERCIAL**

Specify with Confidence.

