



- NOTES:
1. REFER TO IKO.COM/COMM FOR THE MOST UP TO DATE INSTALLATION INFORMATION.
 2. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL. IKO ASSUMES NO RESPONSIBILITY FOR THE INSTALLATION OF THE ASSOCIATED COMPONENTS OR DAMAGE TO THE ROOF SYSTEM DUE TO FAULTY INSTALLATION.
 3. WOOD NAILER MUST BE INSTALLED TO MEET APPLICABLE BUILDING CODES.
 4. FLANGE OF METAL MUST BE FULLY SUPPORTED BY WOOD AND TERMINATED AT 1/2" (13 MM) FROM EDGE OF WOOD.
 5. IKO INNOVIFLASH UNSUPPORTED FLASHING MAY BE USED IN LIEU OF PRE-MOLDED INNOVIFLASH UNIVERSAL CORNERS FOR A MAXIMUM WARRANTY OF 15-YEARS.
 6. REFER TO EXISTING ROOFING MANUFACTURERS' SPECIFICATIONS FOR SURFACE PREPARATION PROCEDURES.

Title: THRU-WALL SCUPPER WITH TPO COATED METAL	Detail Number: T-S-3
--	----------------------

Issue Date: 8/01/2025	Maximum Warranty Term: 30-Years	Not to Scale
-----------------------	---------------------------------	--------------