



- NOTES:
1. REFER TO IKO.COM/COMM FOR THE MOST UP TO DATE INSTALLATION INFORMATION.
  2. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL. IKO ASSUMES NO RESPONSIBILITY FOR THE INSTALLATION OF THE ASSOCIATED COMPONENTS OR DAMAGE TO THE ROOF SYSTEM DUE TO FAULTY INSTALLATION.
  3. COPING STONE ATTACHMENT IS THE RESPONSIBILITY OF THE SPECIFIER.
  4. ANCHOR BOLT SECUREMENT LUG MUST BE INSTALLED IN ACCORDANCE WITH MASONRY STANDARDS AND LOCAL BUILDING CODES.
  5. IKO INNOVI TPO MEMBRANE MUST EXTEND TO THE OUTSIDE FACE OF THE WALL.
  6. CONTINUOUS BEAD OF IKO INNOVISEAL WATER STOP MASTIC BENEATH THE MEMBRANE ALONG THE ENTIRE EDGE OF THE TPO AND WALL AND AROUND THE ANCHOR.

<b>Title:</b> TERMINATION AT TOP OF WALL WITH COPING STONE	<b>Detail Number:</b> T-T-11	
<b>Issue Date:</b> 8/01/2025	<b>Maximum Warranty Term:</b> 20-Years	<b>Not to Scale</b>