



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

SECTION 1 – SUBSTANCE IDENTITY AND COMPANY CONTACT INFORMATION

PRODUCT NAME	InnoviPrime TPO Membrane Cleaner (VOC Exempt)
TRADE NAME	Roofing Membrane Cleaner - VOC Exempt
PRODUCT NUMBER	6100018
CHEMICAL FAMILY	Acetone
PRODUCT USE	Relevant uses: Cleaning solvent. For professional users/industrial user only. Uses advised against: All uses not specified in this section or in section 7.
MANUFACTURER/SUPPLIER	The Ruscoe Company 485 Kenmore Blvd 44301 Akron - United States Phone: 330-253-8148 Sales@Ruscoe.com; SDS@Ruscoe.com www.ruscoe.com
WEBSITE	www.iko.com
EMERGENCY NUMBER	Chemtrec 1-800-424-9300 (24 hours information only)

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

SIGNAL WORD Danger

SYMBOL(S)



CLASSIFICATION

29 CFR 1910.1200:
Eye irritation, Category 2A, H319
Flammable liquids, Category 2, H225
Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

HAZARD STATEMENTS

H319 Causes serious eye irritation.
H225 Highly flammable liquid and vapour.
H336 May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.
P303+P361+P353: IF ON SKIN (or hair): Remove/Take off



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use ABC powder extinguisher to put it out.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents and/ or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Additional labeling: Keep out of the reach of children.

NFPA No information available.

HMIS No information available.

SECTION 3 – CHEMICAL COMPOSITION AND DATA ON COMPONENTS

CHEMICAL DESCRIPTION: Solvent/s

COMPONENTS: Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (I) of 1910.1200. Therefore, in accordance with Appendix D to 1910.1200, the product contains:

CHEMICAL NAME	% (w/w)	CAS NUMBER
Acetone	100	67-64-1

SECTION 4 – FIRST AID

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

INHALATION Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

INGESTION In case of consumption, seek immediate medical assistance showing the SDS of this product.

SKIN CONTACT In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

this Safety Data Sheet.

EYE CONTACT

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

ACUTE AND CHRONIC SYMPTOMS

Acute and delayed effects are indicated in sections 2 and 11.

MEDICAL ATTENTION

No information available.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

If possible, use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂). IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

FIRE FIGHTING

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

FLAMMABILITY

No further information available.

PROPERTIES:

FLASH POINT 0 °F (-17.77 °C)

FLAMMABLE LIMITS IN AIR Lower: 2.6 Vol %
Upper: 12.8 Vol %

AUTO IGNITION TEMPERATURE 1000 °F

SPECIAL PPE FOR FIRE-FIGHTERS

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE MEASURES AND EMERGENCY PROCEDURES

For non-emergency personnel:
Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:
Wear protective equipment. Keep unprotected persons away. See section 8.

ENVIRONMENTAL PRECAUTIONS

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

SPILL MANAGEMENT

For accidental releases in excess of reportable quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.
Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

SECTION 7 - HANDLING AND STORAGE

HANDLING PROCEDURE

A.- General precautions for safe use
Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container.
Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions
Because the product is a flammable liquid, storage should meet the requirement of 29 CFR 1910.106, Flammable and Combustible Liquids Code. Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems and with the minimum requirements for protecting the security and health of workers. Consult section 10 for conditions and materials that



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

should be avoided.

C.- Technical recommendations on general occupational hygiene
Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.-Technical recommendations to prevent environmental risks
It is recommended to have absorbent material available at close proximity to the product (See section 6)

STORAGE PRECAUTIONS

A.- Technical measures for storage

Minimum Temp.: 41 °F

Maximum Temp.: 90 °F

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see section 10.

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

CONTROL PARAMETERS:

Substances whose occupational exposure limits have to be monitored in the workplace:

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):

IDENTIFICATION	OCCUPATIONAL EXPOSURE LIMITS		
acetone CAS: 67-64-1	8-hour TWA PEL	1000 ppm	2400 mg/m ³
	Ceiling values - TWA PEL		

US. ACGIH Threshold Limit Values (2022):

IDENTIFICATION	OCCUPATIONAL EXPOSURE LIMITS		
acetone CAS: 67-64-1	TLV-TWA	250 ppm	
	TLV-STEL	500 ppm	

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

IDENTIFICATION	OCCUPATIONAL EXPOSURE LIMITS		
acetone CAS: 67-64-1	PEL	500 ppm	1200 mg/m ³
	STEL	750 ppm	1780 mg/m ³

BIOLOGICAL LIMIT Values:

Biological Exposure Indices (BEIs®) - ACGIH

IDENTIFICATION	BEIs®	Determinant	Sampling Time
acetone CAS: 67-64-1	25 mg/L	Acetone in urine	End of shift

APPROPRIATE ENGINEERING CONTROLS:


A.- Individual protection measures, such as PERSONAL PROTECTIVE EQUIPMENT

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see


InnoviPrime TPO Membrane Cleaner (VOC Exempt)

section 7. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.


B.- RESPIRATORY PROTECTION

Pictogram	PPE	Remarks
 <p>Mandatory respiratory tract protection</p>	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR)

C.- SPECIFIC PROTECTION FOR THE HANDS

Pictogram	PPE	Remarks
 <p>Mandatory hand protection</p>	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR)



D.- EYE AND FACE PROTECTION

Pictogram	PPE	Remarks
 <p>Mandatory face protection</p>	Face shield	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)



E.- BODILY PROTECTION

Pictogram	PPE	Remarks

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

 Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties	For professional use only. Clean periodically according to the manufacturer's instructions.
 Mandatory foot protection	Safety footwear for protection against chemical risk, with antistatic and heat resistant properties	Replace boots at any sign of deterioration.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see section 7.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE (PHYSICAL STATE, COLOR etc.)	Form: Liquid Color: No information available.
ODOR	No information available.
ODOR THRESHOLD	Not applicable (N/A) *
PH	Not applicable (N/A) *
MELTING POINT/FREEZING POINT	-138 °F (-94.44 °C)
INITIAL BOILING POINT AND BOILING RANGE	133 °F (56.11 °C)
FLASH POINT	0 °F (-17.77 °C)
EVAPORATION RATE	Not applicable (N/A) *



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

FLAMMABILITY	Not applicable (N/A) *
UPPER/LOWER FLAMMABILITY/EXPLOSIVE LIMITS	Lower: 2.6 Vol % Upper: 12.8 Vol %
VAPOR PRESSURE	24439 Pa at 68 °F (20 °C) 81232.75 Pa (81.23 kPa) at 122 °F (50 °C)
DENSITY	791.5 kg/m ³ at 68 °F
RELATIVE DENSITY	0.791 at 68 °F
VAPOUR DENSITY	Not applicable (N/A) *
MOLECULAR WEIGHT	No information available.
SOLUBILITY(IES)	Not applicable (N/A) *
PARTITION COEFFICIENT: N- OCTANOL/WATER	Not applicable (N/A) *
AUTO-IGNITION TEMPERATURE	1000 °F
SPECIFIC GRAVITY	No information available.
VISCOSITY	Dynamic Viscosity: 0.33 cP at 68 °F Kinematic Viscosity: 0.41 mm ² /s at 68 °F

Information with regard to physical hazard classes:

Explosive properties:	Not applicable (N/A) *
Oxidising properties:	Not applicable (N/A) *
Corrosive to metals:	Not applicable (N/A) *
Heat of combustion:	28.56 kJ/g
Aerosols-total percentage (by mass) of flammable components:	Not applicable (N/A) *

* Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

CHEMICAL STABILITY: Chemically stable under the indicated conditions of storage, handling and use.

POSSIBILITY OF
HAZARDOUS REACTIONS: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

CONDITIONS TO AVOID: Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

INCOMPATIBLE MATERIALS:

Acids	Water	Oxidising materials	Combustible materials	Humidity
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

HAZARDOUS DECOMPOSITION PRODUCTS: Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11 – TOXICOLOGICAL INFORMATION

DANGEROUS HEALTH IMPLICATIONS:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A- INGESTION (ACUTE EFFECT):

Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3

Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (Acute Effect):

Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- CONTACT WITH THE SKIN AND THE EYES (ACUTE EFFECT):

Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.

Contact with the eyes: Produces eye damage after contact.

D- CMR EFFECTS (CARCINOGENICITY, MUTAGENICITY AND TOXICITY TO REPRODUCTION):

Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Not applicable (N/A)

Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- SENSITIZING EFFECTS:

Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE:

Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

G- SPECIFIC TARGET ORGAN TOXICITY (STOT)-REPEATED EXPOSURE:

Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- ASPIRATION HAZARD:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Product-specific toxicological information:

	Acute toxicity	Genus
LD50 oral	5800 mg/kg	Rat
LD50 dermal	7426 mg/kg	Rabbit
LC50 inhalation	76 mg/L (4 h)	Rat

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
acetone CAS: 67-64-1	LD50 oral	5800 mg/kg	Rat
	LD50 dermal	7426 mg/kg	Rabbit
	LC50 inhalation	76 mg/L (4 h)	Rat

SECTION 12 – ECOLOGICAL INFORMATION

ECOTOXICITY

Product-specific aquatic toxicity:

	Acute toxicity	Species	Genus
LD50	5540 mg/L (96 h)	Non-applicable	Fish
EC50	8800 mg/L (48 h)	Non-applicable	Crustacean
EC50	3400 mg/L (72 h)	Non-applicable	Algae

Substance-specific aquatic toxicity:

Acute toxicity:



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

Identification	Concentration		Species	Genus
acetone CAS: 67-64-1	LD50	5540 mg/L (96 h)	Oncorhynchus mykiss	Fish
	EC50	8800 mg/L (48 h)	Daphnia pulex	Crustacean
	EC50	3400 mg/L (72 h)	Chlorella pyrenoidosa	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
acetone CAS: 67-64-1	NOEC	Not applicable (N/A)		
	NOEC	2212 mg/L	Daphnia pulex	Crustacean

PERSISTENCE & DEGRADABILITY

Substance-specific information:

Identification	Degradability		Biodegradability	
	acetone CAS: 67-64-1	BODS	Not applicable (N/A)	Concentration
COD		Not applicable (N/A)	Period	28 days
BODS/COD		Not applicable (N/A)	% Biodegradable	96%

BIOACCUMULATION POTENTIAL

Substance-specific information:

Identification	Bioaccumulation potential	
acetone CAS: 67-64-1	BCF	1
	Pow Log	-0.24
	Potential	Low

BIODEGRADATION MOBILITY:

Identification	Absorption/desorption		Volatility	
	acetone CAS: 67-64-1	Koc	1	Henry
Conclusion		Very High	Dry soil	Yes
Surface tension		2.304E-2 N/m (77 °F)	Moist soil	Yes

Results of PBT and vPvB assessment: Non-applicable

Other adverse effects: Not described

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL RECOMMENDATIONS:

The characteristic of Ignitability per RCRA could apply to the unused product if it becomes a waste material. The EPA hazardous waste number D001 could apply.

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, it is the responsibility of the waste



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14 – TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:

UN Number: UN1090

UN Proper Shipping Name: ACETONE

Transport Hazard Class(es): 3

Labels: 3



Packing Group, If Applicable: II

Marine Pollutant: No

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

Physico-Chemical properties: see section 9

Limited quantities: 1 L

Transport In Bulk (According to Annex II of MARPOL 73/78 and the IBC Code): Not applicable (N/A)

Transport of dangerous goods by sea:

With regard to IMDG 40-20:

UN Number: UN1090

UN Proper Shipping Name: ACETONE



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

Transport Hazard Class(es): 3

Labels: 3



Packing Group, If Applicable: II

Marine Pollutant: No

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

Special regulations: Not applicable (N/A)

EmS Codes: F-E, S-D

Physico-Chemical properties: see section 9

Limited quantities: 1 L

Segregation group: Not applicable (N/A)

Transport In Bulk (According to Annex II of MARPOL 73/78 and the IBC Code): Not applicable (N/A)

Transport of dangerous goods by Air:

With regard to IATA/ICAO 2023:

UN Number: UN1090

UN Proper Shipping Name: ACETONE

Transport Hazard Class(es): 3

Labels: 3



Packing Group, If Applicable: II

Marine Pollutant: No

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

Physico-Chemical properties: see section 9.

Transport In Bulk (According to Annex II of MARPOL 73/78 and the IBC Code): Not applicable (N/A)



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

SECTION 15 - REGULATIONS

Safety, health and environmental regulations specific for the product in question:

CALIFORNIA LABOR CODE - The Hazardous Substances List: *acetone (67-64-1)*

California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) – Birth defects or other reproductive harm: Not applicable (N/A)

California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) – Cancer: Not applicable (N/A)

CANADA-Domestic Substances List (DSL): *acetone (67-64-1)*

CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A)

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: *acetone (67-64-1) - U002*

Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A)

Massachusetts RTK - Substance List: *acetone (67-64-1)*

Minnesota - Hazardous substances ERTK: *acetone (67-64-1)*

New Jersey Worker and Community Right-to-Know Act: *acetone (67-64-1)*

New York RTK - Substance list: *acetone (67-64-1)*

NTP (National Toxicology Program): Not applicable (N/A)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A)

Pennsylvania Worker and Community Right-to-Know Law: *acetone (67-64-1)*

Rhode Island - Hazardous substances RTK: *acetone (67-64-1)*

The Toxic Substances Control Act (TSCA): *acetone (67-64-1)*

Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Not applicable (N/A)

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.



SAFETY DATA SHEET 25112

InnoviPrime TPO Membrane Cleaner (VOC Exempt)

SECTION 16 – OTHER INFORMATION

REVISION DATE OF SDS	January 09, 2024
REPLACES THE MSDS/SDS FROM	October 16, 2023
PREPARED BY	Research Department
GENERAL INFORMATION	1-888-766-2468
WEBSITE	www.iko.com
OTHER INFO/DISCLAMERS	Read this Safety Data Sheet before handling or disposing of this product.

This product safety information is provided to help our customers with health, safety and/or environmental matters. We have taken reasonable effort to ensure that the test methods and sources for this data are correct and reliable, however, we give no warranty, expressed or implied, regarding its correctness. Since conditions or methods of handling and using this product are beyond our control, we do not assume responsibility and expressly disclaim liability for damages resulting from or connected with the handling, storage, use or disposal of the product.