

## CAMBRIDGE® Architectural Shingles





HVIPACT RESISTANT



# Stunning Looks with Dependability


IKO Cambridge shingles have been a trusted choice for new construction and re-roofing projects for decades. Known for their reliable performance, they provide a high-quality solution and excellent value.



Special colorfast granules embedded in Cambridge shingles help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks, and discoloration.









Now you don't have to choose between style, durability, or dependability. IKO Cambridge shingles offer it all in beautiful, unique looks that match your home's style.


### The IKO Difference

With a legacy of craftsmanship that spans over 75 years,

we know quality. That's why contractors and their customers trust IKO to deliver beautiful, high-performing roofing systems that can withstand the most rigorous conditions—and continue protecting families for generations to come.



## What sets Cambridge Shingles Apart



#### STANDARDS & SPECIFICATIONS 4,5

Limited Warranty <sup>1</sup>	Limited Lifetime <sup>3</sup>	Length	40 7/8 in (1,038 mm)
Iron Clad Protection <sup>1</sup>	10 Years (U.S. ONLY)	Width	13 3/4 in (349 mm)
Limited Wind Warranty <sup>1</sup>	110 mph	Exposure	5 7/8 in (149 mm)
Limited High-Wind Warranty Upgrade <sup>1,2</sup>	130 mph	Coverage per Bundle	33 1/3 sq. ft (3.1 sq. m)
Limited Algae Resistance Warranty <sup>1</sup>	10 years (blue-green)	Shingle per Square	60

ASTM D3462 • ASTM D3018 • ASTM D3161 - Class F • ASTM D7158 - Class H • ASTM E108/UL 790 - Class A • FM 4473 - Class 36

#### Tough adhesive

We use five strips of our tough, construction-grade adhesive to laminate the shim to the tooth.

#### Stay-put bonding

IKO's proprietary FastLock® sealant strips get extra tacky when activated by the heat of the sun to maximize bonding and protect against wind uplift and blow-off.

#### Fiberglass mat core strength

Our fiberglass mat is coated top and bottom with weathering asphalt, then surfaced with colored granules for exceptional durability and structural integrity.

#### **Built-in algae resistance**

Algae-resistant granules help inhibit the growth of blue-green algae, which can cause unsightly black streaks, stains, or discoloration.





SEE IT ON A ROOF

Cambridge shingles aren't just nice to look at. They boast a number of features that keep your home and family covered:

- Heavy-duty construction from a fiberglass mat core.
- Class 3 impact resistance rating against hail\*.
- FastLock® sealant, activated by the warmth of the sun to seal down and help protect against wind uplift.
- A wide array of stunning color blends to match your home's style.
- Blue-green algae resistance.
- Superior blow-off protection. Cambridge shingles are designed to help installers fasten them more accurately, helping prevent blow-off in high winds.


<sup>e</sup>The impact resistance ratings are solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. \*This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the limited warranty.





#### UNIQUE COLOR BLENDS

#### Inspired by Nature



DUAL BLACK: Defined, timeless, exemplary Perfect Pairings: Stone, brick, masonry, siding (especially red, white, or grey)

Metal Pairings: Copper, black, nickel, chrome, brass

EARTHTONE CEDAR: Woodsy, unexpected, relaxed, notable

Perfect Pairings: Stone, wood, brick, siding (especially white or various pastels) Metal Pairings: Copper, black, nickel, brass, bronze DUAL BROWN: Earthy, organic, rustic, laid-back, casual Perfect Pairings: Log, beige stone, or brick (especially red)

Metal Pairings: Copper, black, nickel, brass, bronze

DUAL GREY: Upscale, exclusive, from casual comfort to

Perfect Pairings: White or grey stone, brick or siding; black,

Metal Pairings: Copper, black, nickel, chrome, brass


HARVARD SLATE: Historic, expressive, majestic, distinguished

Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim

Metal Pairings: Copper, black, nickel, chrome, brass

CHARCOAL GREY: Stylish, modern, classic Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim Metal Pairings: Copper, black, nickel, chrome, brass





**DRIFTWOOD:** Versatile, dark and handsome **Perfect Pairings:** Log, wood siding, stone or brick facings; brown or black trim.

Metal Pairings: Copper, black, nickel, brass, bronze

**WEATHERWOOD:** Rustic, relaxed, notable **Perfect Pairings:** Log, beige stone, or brick (especially red) facings: brown trim

Metal Pairings: Copper, black, bronze

**BEACHWOOD:** Casual, laid-back, rustic

Perfect Pairings: Log, beige stone facing, beige or pastel siding; brown trim

Metal Pairings: Copper, brass, bronze — Only available in the US.

DOVE WHITE: Unique, bold, brilliant


Perfect Pairings: White, grey or beige siding, natural stone; white or grey trim

Metal Pairings: Copper, black — Only available in the US.



INTEGRATED ROOFING ACCESSORIES

Shingles are your home's first line of defense, but they protect, perform and look their best installed with the **IKO Proformax Integrated Roofing Accessories** shown below.



**IMPORTANT!** To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle color and do not fully represent the entire color blend range nor the impact of sunlight.

**NOTE:** Product and color availability may vary by region. Products with Miami Dade NOA and FBC product approval listings are available. Meets requirements of the Texas Department of Insurance. Please contact IKO for details "See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. "High-wind application is required. "Lifetime" means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the original Owner owns the building on which the shingles were installed. "All values shown are approximate. "Products are developed with reference to these standards. "This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer and damage from hail is not covered by the Limited Warranty. IKO recommends the use of its Class 4 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 3 impact resistance rated shingles. For further detail concerning the FM 4473 standards, visit the FM Approvals website.



K IKO.COM/NA

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature. Find out more about our products now by talking to an IKO sales representative or contact us directly:

In the United States, call 1-888-IKO-ROOF (1-888-456-7663).

