

Proven Performance™



CAMBRIDGE®

Architectural Shingles



iko.com/na



Stunning Looks with Dependability

IKO Cambridge shingles have been a trusted choice for new construction and re-roofing projects for decades. Known for their reliable performance, they provide a high-quality solution and excellent value.



Special colourfast granules embedded in **Cambridge shingles** help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks, and discolouration.



🕒 *Colour Featured: Dual Black*




Now you don't have to choose between style, durability, or dependability. IKO Cambridge shingles offer it all in beautiful, unique looks that match your home's style.

The IKO Difference

With a legacy of craftsmanship that spans over 75 years, we know quality. That's why contractors and their customers trust IKO to deliver beautiful, high-performing roofing systems that can withstand the most rigorous conditions — and continue protecting families for generations to come.

What sets Cambridge Shingles Apart



1 Tough adhesive
We use five strips of our tough, construction-grade adhesive to laminate the shim to the tooth.

2 Stay-put bonding
IKO's proprietary **FastLock®** sealant strips get extra tacky when activated by the heat of the sun to maximize bonding and protect against wind uplift and blow-off.

3 Fiberglass mat core strength
Our fiberglass mat is coated top and bottom with weathering asphalt, then surfaced with coloured granules for exceptional durability and structural integrity.

4 Built-in algae resistance
Algae-resistant granules help inhibit the growth of blue-green algae, which can cause unsightly black streaks, stains, or discoloration.

STANDARDS & SPECIFICATIONS^{4,5}

| | | | |
|---|-------------------------------|---------------------|---------------------------|
| Limited Warranty ¹ | Limited Lifetime ³ | Length | 40 7/8 in (1,038 mm) |
| Iron Clad Protection ¹ | 15 Years (Canada ONLY) | Width | 13 3/4 in (349 mm) |
| Limited Wind Warranty ¹ | 177 km/h (110 mph) | Exposure | 5 7/8 in (149 mm) |
| Limited High-Wind Warranty Upgrade ^{1,2} | 210 km/h (130 mph) | Coverage per Bundle | 33 1/3 sq. ft (3.1 sq. m) |
| Limited Algae Resistance Warranty ¹ | 10 years (blue-green) | Shingle per Square | 60 |

ASTM D3018 • ASTM D3161 - Class F • ASTM D7158 - Class H • CAN/ULC S107 - Class A • CSA A123.5 • FM 4473 - Class 3⁶



SEE IT ON A ROOF

Cambridge shingles aren't just nice to look at. They boast a number of features that keep your home and family covered:

- ✓ Heavy-duty construction from a fiberglass mat core.
- ✓ Class 3 impact resistance rating⁶ against hail*.
- ✓ FastLock[®] sealant, activated by the warmth of the sun to seal down and help protect against wind uplift.
- ✓ A wide array of stunning colour blends to match your home's style.
- ✓ Blue-green algae resistance.
- ✓ Superior blow-off protection. Cambridge shingles are designed to help installers fasten them more accurately, helping prevent blow-off in high wind.

⁶The impact resistance ratings are solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. *This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the limited warranty.




➤ Colour Featured: Dual Black


➤ Colour Featured: Driftwood




UNIQUE COLOUR BLENDS | *Inspired by Nature*




Dual Black



Dual Brown



Earthtone Cedar



Dual Grey

DUAL BLACK: Defined, timeless, exemplary
Perfect Pairings: Stone, brick, masonry, siding (especially red, white, or grey)
Metal Pairings: Copper, black, nickel, chrome, brass

EARTHTONE CEDAR: Woodsy, unexpected, relaxed, notable
Perfect Pairings: Stone, wood, brick, siding (especially white or various pastels)
Metal Pairings: Copper, black, nickel, brass, bronze

DUAL BROWN: Earthy, organic, rustic, laid-back, casual
Perfect Pairings: Log, beige stone, or brick (especially red) facings, brown trim
Metal Pairings: Copper, black, nickel, brass, bronze

DUAL GREY: Upscale, exclusive, from casual comfort to modern chic
Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim
Metal Pairings: Copper, black, nickel, chrome, brass



Harvard Slate



Driftwood



Weatherwood



Charcoal Grey

HARVARD SLATE: Historic, expressive, majestic, distinguished
Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim
Metal Pairings: Copper, black, nickel, chrome, brass

WEATHERWOOD: Rustic, relaxed, notable
Perfect Pairings: Log, beige stone, or brick (especially red) facings; brown trim
Metal Pairings: Copper, black, bronze

DRIFTWOOD: Versatile, dark and handsome
Perfect Pairings: Log, wood siding, stone or brick facings; brown or black trim.
Metal Pairings: Copper, black, nickel, brass, bronze

CHARCOAL GREY: Stylish, modern, classic
Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim
Metal Pairings: Copper, black, nickel, chrome, brass

Shingles are your home's first line of defense, but they protect, perform and look their best installed with the **IKO Proformax Integrated Roofing Accessories** shown below.



PROFORMAX ROOFING COMPONENTS

| 1 DECK PROTECTION | 2 SYNTHETIC UNDERLAYMENT | 3 ROOF STARTERS | 4 CAPPING SHINGLES |
|-----------------------------------|--------------------------|--|--------------------------------------|
| IKO GoldSeam® IKO StormShield® | IKO Stormtite® | IKO Leading Edge Plus™ or IKO EdgeSeal® | IKO Hip & Ridge 12™ IKO Ultra-HP® |

IMPORTANT! To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final colour selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle colour and do not fully represent the entire colour blend range nor the impact of sunlight.

NOTE: Product and colour availability may vary by region. *See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. †High-wind application is required. ‡"Lifetime" means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the original Owner owns the building on which the shingles were installed. †All values shown are approximate. ‡Products are developed with reference to these standards. ‡Impact rating is solely for potential insurance premium reductions and is not a performance guarantee, implied or express warranty of any kind. Hail damage is not covered under the Limited Warranty. IKO recommends Class 4 or 3 impact resistance rated Hip and Ridge capping shingles be installed with corresponding impact rated shingles (refer to FM Approvals for more details on the FM 4473 impact resistance testing standard).



IKO.COM/NA

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature. Find out more about our products now by talking to an IKO sales representative or contact us directly:

In Canada, call 1-855-IKO-ROOF (1-855-456-7663).

