

Proven Performance™



# ARMOURSHAKE™

Designer Shingles



Shadow Black only.



[iko.com/na](http://iko.com/na)



# Premium Designer Shingles for Exceptional Homes

IKO's Armourshake line gives you high-end features, protection, and beauty in one luxurious shingle. Armourshake has it all — dimensional thickness, heavyweight construction, generous exposure, and even the highest ratings for impact resistance<sup>6</sup> depending on your chosen style.



IKO Armourshake shingles qualify for a Class 3 or 4 (Shadow Black only) impact resistance rating<sup>6</sup>, possibly enabling you to a reduction in your homeowner insurance premium, if available.

\*Shadow Black only.



Color Featured: Weathered Stone





Color Featured: Shadow Black



# The IKO Difference

**With a legacy of craftsmanship that spans over 75 years,** we know quality. That's why contractors and their customers trust IKO to deliver beautiful, high-performing roofing systems that can withstand rigorous conditions — and continue protecting families for generations to come.




Color Featured: Greystone



*When you want to wow onlookers, Armourshake shingles provide a unique dimensional pattern for curb appeal that doesn't disappoint.*





Color Featured: Shadow Black



# What Sets Armourshake Shingles Apart



SEE IT ON A ROOF



Color Featured: Weathered Stone

- 1 Heavyweight core strength**  
 IKO Armourshake shingles are engineered for performance thanks to a durable fiberglass mat core. Thick asphalt coating provides superior protection against wind uplift and water infiltration.
- 2 Exceptional bonding**  
 IKO's proprietary **FastLock®** sealant strips get extra tacky when activated by the heat of the sun to maximize bonding and protect against wind uplift and blow-off.
- 3 Ultraviolet and Algae-resistant granules**  
 IKO is a vertically integrated manufacturer. Our proprietary colorfast granules help prevent discoloration from the sun's UV rays and inhibit the growth of blue-green algae that can cause unattractive black stains and streaks.

#### STANDARDS & SPECIFICATIONS<sup>4,5</sup>

Limited Warranty <sup>1</sup>	Limited Lifetime <sup>3</sup>
Iron Clad Protection <sup>1</sup>	15 Years
Limited Wind Warranty <sup>1</sup>	110 mph
Limited High-Wind Warranty Upgrade <sup>1,2</sup>	130 mph
Limited Algae Resistance Warranty <sup>1</sup>	10 years (blue-green)
Length	37 3/8 in (950 mm)
Width	18 11/16 in (475 mm)
Exposure	5 1/2 in (140 mm)
Approximate Coverage	5 bdls/sq.
Shingle per Square	70

ASTM D3462 • ASTM D3018 • ASTM D3161 - Class F • ASTM D7158 - Class H • ASTM E108/UL 790 - Class A • FM4473 - Class 3<sup>6</sup> and Class 4<sup>6</sup> is also available (Shadow Black only)





# Elegant Design From Core to Surface



Color Featured: Greystone



Armourshake shingles offer many desirable features, from designs that boost your curb appeal to high-quality construction that gives you peace of mind:

- ✔ Deep, contrasting shadows.
- ✔ Durable fiberglass mat core.
- ✔ Thick weathering asphalt coating for strength, durability, and flexibility.
- ✔ FastLock® sealant, activated by the warmth of the sun to seal down and help protect against wind uplift.
- ✔ Class 3 or 4 (*Shadow Black only*) impact resistance rating<sup>6</sup>.
- ✔ Four elegant, blue-green algae-resistant color blends that may resist discoloration from ultraviolet exposure
- ✔ When Armourshake shingles are installed with IKO PROFORMAX Integrated Roofing Accessories in accordance with IKO's High Wind Application instructions, you qualify for our High Wind Limited Warranty Upgrade, offering limited wind coverage up to 130 mph.


<sup>6</sup>The impact resistance ratings are solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the limited warranty.



Color Featured: Weathered Stone




# COLOR BLENDS | *Inspired by Nature*






**GREYSTONE:** Timeless, exclusive, stylish, elegant  
**Perfect Pairings:** White or grey stone, brick or siding; black, white, or grey trim  
**Metal Pairings:** Copper, black, nickel, chrome, brass

**CHALET WOOD:** Rustic but elevated, modern, notable  
**Perfect Pairings:** Log, beige stone, or brick (especially red) facings; brown trim  
**Metal Pairings:** Copper, black, bronze





Weathered Stone




Shadow Black

**WEATHERED STONE:** Soft, timeless, welcoming, high-end  
**Perfect Pairings:** Stone, wood, brick, masonry, siding (especially cream, beige, or grey)  
**Metal Pairings:** Copper, black, bronze

**SHADOW BLACK:** Elegant, defined, traditional, up-scale  
**Perfect Pairings:** Stone, brick, masonry, siding (especially red, white, or grey)  
**Metal Pairings:** Copper, black, nickel, chrome, brass

Shingles are your home's first line of defense, but they protect, perform and look their best installed with the **IKO Proformax Integrated Roofing Accessories** shown below.



PROFORMAX ROOFING COMPONENTS

1 DECK PROTECTION	2 SYNTHETIC UNDERLAYMENT	3 ROOF STARTERS	4 CAPPING SHINGLES
IKO GoldSeam™ IKO StormShield®	IKO Stormtite®	IKO Leading Edge Plus™ IKO EdgeSeal® IKO Armour Starter™	IKO Ultra-HP® IR IKO Hip & Ridge Class 4 IKO Hip & Ridge 12™

**IMPORTANT!** To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle color and do not fully represent the entire color blend range nor the impact of sunlight.

**NOTE:** Product and color availability may vary by region. Products with Miami Dade NOA and FBC product approval listings are available. Meets requirements of the Texas Department of Insurance. Please contact IKO for details. <sup>1</sup>See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. <sup>2</sup>High Wind Application is required. Armour Starter strips along with either Leading Edge Plus or EdgeSeal are required, as well as capping shingles are required with High-Wind Application. <sup>3</sup>"Lifetime" means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the original Owner owns the building on which the shingles were installed. <sup>4</sup>All values shown are approximate. <sup>5</sup>Products are developed with reference to these standards. <sup>6</sup>This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer and damage from hail is not covered by the Limited Warranty. IKO recommends the use of its Class 4 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 4 impact resistance rated shingles, and the use of no less than its Class 3 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 3 impact resistance rated shingles. For further detail concerning the FM 4473 standards, visit the FM Approvals website.



IKO.COM/NA

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature. Find out more about our products now by talking to an IKO sales representative or contact us directly:

**In the United States, call 1-888-IKO-ROOF (1-888-456-7663).**

