

MATERIAL SAFETY DATA SHEET

MSDS # 1253 – IKO MS Detail

IMPORTANT: Read this Material Safety Data Sheet before handling or disposing of this product. This product safety information is provided to help our customers with health, safety and/or environmental matters. We have taken reasonable effort to ensure that the test methods and sources for this data are correct and reliable, however, we give no warranty, expressed or implied, regarding its correctness. Since conditions or methods of handling and using this product are beyond our control, we do not assume responsibility and expressly disclaim liability for damages resulting from or connected with the handling, storage, use or disposal of the product.

SECTION 1 PRODUCT AND MANUFACTURER'S INFORMATION

Manufacturer/Supplier's Name: IKO Industries Ltd.
Address: 71 Orenda Rd.,
Brampton, Ontario
L6W 1V8
***Emergency Phone:* CANUTEC: (613) 996-6666**
Alternate Emergency Phone: (905) 457-2880 - EXT. 3354
Product Name: IKO MS Detail
Chemical Name: NA
Trade Name: NA
Chemical Family: Mixture

SECTION 2 PREPARATION INFORMATION

Prepared/Reviewed By: HSE Department
Phone Number: (905) 457-2880 - EXT. 3354
Date: August 3, 2015

SECTION 3 HAZARDOUS INGREDIENTS

Chemical Name	CAS Number	OSHA-PEL	ACGIH-TLV	LD50 / LC50	% by Weight
NA	-	-	-	-	-

SECTION 4 PHYSICAL DATA

Appearance,
Physical State and Odour: Grey paste, mild odour.
Odour Threshold (ppm): ND
Specific Gravity/Density: 1.3-1.7
Vapour Pressure (mm): ND
Vapour Density (Air=1): ND
Evaporation Rate (BUAC=1): ND
Boiling Point: ND
Melting/Freezing Point: ND
PH: NA
Coefficient of Water/Oil
Distribution: ND
Solubility in Water: Slightly Soluble
% Volatile by Volume: <1%

SECTION 5 FIRE AND EXPLOSION DATA

Flash Point: >450F (>232.2C)
Auto Ignition Temperature: ND
Sensitivity to Mechanical Impact: ND
Explosive Power: ND
Upper Explosive Limit: ND
Lower Explosive Limit: ND
Rate of Burning: ND
Sensitivity to Static Discharge: ND

MATERIAL SAFETY DATA SHEET

MSDS # 1253 – IKO MS Detail

Extinguishing Media: Small fires: foam, CO₂ or dry chemical. Large fires: use water or spray foam
Special Procedures: The use of a self-contained breathing apparatus is recommended for fire-fighters.
Unusual Fire and Explosive Hazards: This product is not considered flammable. Reaction with water releases trace amounts of methanol.
Flammability: No
Under What Conditions: NA

SECTION 6 TOXICOLOGICAL PROPERTIES

Primary Route of Exposure: Skin, Eye contact.
Effects of Overexposure, Chronic: None known
Effects of Overexposure, Acute: Skin: Prolonged/repeated contact may cause irritation.
Eyes: May cause irritation.
Medical Conditions Generally Aggravated by Exposure: Pre-existing skin and eye disorders.
Carcinogenicity: No
LD50 of Product: ND
LC50 of Product: ND
Irritant: Yes
Synergistic Materials: NA
Reproductive Effects: No
Teratogenic: No
Mutagenic: No
WHIMIS Classification: D2

SECTION 7 REACTIVITY DATA

Stability: Stable
Polymerization: May occur with excess of aliphatic amine curing agent.
Materials to Avoid: Strong Oxidizers and/or acids
Conditions to Avoid: Avoid contact with acids and oxidizers.
Hazardous Decomposition Products: Carbon dioxide, carbon monoxide

SECTION 8 PREVENTIVE MEASURES

Spill Procedure: Dike spill area. Recover free liquid. Add absorbent to spill area.
Disposal Procedure: Follow federal, provincial/state and municipal regulations.
Precautions to be taken in Handling and Storage: Wear appropriate protective equipment. Avoid contact with eyes, skin and clothing. Avoid breathing vapours. Keep container tightly closed. Store in a cool, dry area away from incompatible materials.
Ventilation: Normal ventilation adequate.
Respiratory: Not normally needed in well ventilated area. If TLV is exceeded, a NIOSH/MESA approved breathing apparatus is recommended.
Gloves: Use Neoprene, butyl or nitrile gloves with cuffs.
Eye Protection: Use chemical safety glasses or face shield when necessary.
Other: If contact is unavoidable, wear all necessary protective gear.
RCRA Hazardous Waste No.: NA
DOT Proper Shipping Name: Adhesive
DOT Hazard Class: Not regulated
Volatile Organic compounds (VOC): none
TDG Classification (CAN): Not regulated

MATERIAL SAFETY DATA SHEET

MSDS # 1253 – IKO MS Detail

SECTION 9 FIRST AID PROCEDURES

Eye contact: Check for and remove contact lenses. Immediately flush eyes with running water for at least 15 minutes keeping eyelids open. Seek immediate medical attention if irritation develops.

Skin contact: Wash affected areas with large amounts of running water, and soap if available. Remove clothing and shoes. Wash clothing and decontaminate shoes before reuse. Get medical attention if irritation develops and persists.

Ingestion: Give two glasses of water for dilution. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Obtain immediate medical attention.