



# Designer

CROWNE SLATE • ARMOURSHAKE • ROYAL ESTATE

IKO.COM/NA



CLASS **4** IMPACT RESISTANT PERFORMANCE SHINGLES<sup>6</sup>

CLASS **3** IMPACT RESISTANT PERFORMANCE SHINGLES<sup>6</sup>

PERFORMANCE NEVER LOOKED SO GOOD



Before the first lullaby; before training wheels, summer camps and the big job promotion; ahead of summer vacations and high school graduations – there was one thing that mattered most: safeguarding your family members by providing a roof over their heads.



## Many of life's most memorable moments unfold under the **UNCOMPROMISING PROTECTION** of your roof.

Since 1951, IKO has been there for North American families just like yours, quietly enduring the elements to protect families, homes and everything dear – while providing the luxury of not having to worry.

Now that it's time to replace your roof, don't take it for granted. Keeping your family comfortable and safe is just as important now as ever. And it's important to choose roofing products that not only look great, but also can go the distance. At IKO, four generations of family-owned-and-operated experience go into every product we make. The result? Beauty you can see. Quality you can feel. And performance you can trust. Because at IKO, it's not just roofing. It's roofing elevated.



# When it's time for a new roof, why compromise? With IKO's Designer Collection of shingles, performance never looked so good.



No matter what the architectural style of your home, IKO's Designer Collection of shingles goes above and beyond the beauty, elegance and touch of distinction they impart — because they're engineered for enduring performance that includes an Impact Resistance rating.\* And that's beautiful, too.

IKO Crowne Slate, Armourshake and Royal Estate premium laminated asphalt shingles all offer you outstanding shelter against the elements and the peace of mind that comes from knowing your loved ones are well-protected. Here's why IKO Designer asphalt shingles are an excellent choice:

## Eye-catching colors to blend in or stand out from your home's surroundings.

- IKO's exclusive, advanced color-blending technology creates truly stunning color choices.
- They enhance any style of home and beautifully complement other exterior elements.
- We mine and color our own granules. Our proprietary coating helps the shingles resist the sun's ultraviolet rays to inhibit fading and help protect the underlying weathering asphalt from deterioration.
- Algae-resistant granules are embedded in the surface to help prevent the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.

## The heaviest class of laminated asphalt shingles we make.

- Dimensional thickness adds gravitas — substance, weight and texture you can see.
- Heavy weight means additional wind uplift resistance so that blow-offs won't be weighing on your mind.
- These qualities together act as a shock absorber, to help the shingles resist impact.

## IKO's proprietary FastLock® sealant for a superior bonding experience.

IKO's proprietary FastLock® sealant is among the industry's best for resisting wind uplift. When activated by the sun's heat, it gets extra-tacky and creates a strong bond to help ensure maximum protection against wind uplift and blow-off.

## Oversized shingles with a generous exposure add beauty on a grand scale.

Large size means they go down fast, saving time and labor. It's easy to see how truly gorgeous they are from street level, for tremendous curb appeal.

## Class A fire rating:


Roof covering fire ratings are Class A, B, C or unrated; with Class A providing the best performance.

## Class 3 and 4 impact Resistance rating:

IKO Crowne Slate shingles qualify for a Class 4 Impact Resistance rating; Royal Estate and Armourshake qualify for a Class 3 Impact Resistance rating (Armourshake is also available with a Class 4 Impact Resistance rating for Shadow Black only). These ratings may entitle you to a reduction in your home insurance premium.\*

\*These ratings are solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. They are not a guarantee of impact resistance against hail. Damage from hail is not covered under the Limited Warranty.

**We invite you to browse the beautiful options that IKO's Designer Collection has to offer.**



# Crowne Slate™



## Crown your castle with a look inspired by slate and with fortress-like protection!

Whether your home is a classic Victorian or is more contemporary in its architectural style, a roof of IKO Crowne Slate premium asphalt laminated shingles can enhance its curb appeal and make it an awe-inspiring standout in your neighborhood.

Inspired by natural slate, Crowne Slate can breathe new life into your home's appearance while performing brilliantly against the elements, defending your home and family against the ravages of wind and weather in some ways slate never could.



- Sharp definition and precise, square-cut contours impart a luxurious, designer look.
- Our advanced color-blending technology, dimensional thickness and a generous 10-inch exposure create exciting visual appeal and texture, especially on large roof spans. You simply can't achieve this oh-so-impressive look with monochromatic metal roofing or clay tiles.
- Our high-definition color blends plus IKO UltraHP IR capping shingles will give your new roof the final crowning touch.
- Remember it qualifies for a Class 4 impact resistance rating.\*

\*This rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the Limited Warranty.

Want to see how Crowne Slate shingles might look on your home? See page 15.



REGAL STONE



**REGAL STONE**

*Classically elegant, charming, refined, yet welcoming.*

**PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially white, beige or grey).

**ROYAL GRANITE**

*Authentic, down-to-earth, unexpectedly dramatic.*

**PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially cream, beige, brown or red).



Crowne Slate™



ROYAL GRANITE

Color Featured: Regal Stone

Color Featured: Royal Granite

Color Featured: Regal Stone

# Built to perform.

## HIGHEST IMPACT-RESISTANCE RATING AVAILABLE, CLASS 4.<sup>6</sup>



Crowne Slate's heavy-duty construction, weight and thickness helped these shingles qualify for a Class 4 impact resistance rating, which may entitle you to a reduction in your home insurance premium.\*

\*This rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the Limited Warranty.



## HEAVY-DUTY CONSTRUCTION.

A core of two resilient fiberglass mats laminated together for strength and durability are coated top and bottom with weathering asphalt, then surfaced with granules we quarry, crush and color ourselves.




## BUILT-IN ALGAE RESISTANCE.

Special algae-resistant granules help inhibit the growth of blue-green algae.

## EXCEPTIONALLY STRONG BOND.

When activated by the sun's heat, IKO's FastLock® sealant along the shingle's bottom edge gets extra tacky, creating an even stronger bond for maximum protection against wind uplift, blow-off and water infiltration caused by wind-driven rain.



## EXTRA COATING OF WEATHERING ASPHALT.

IKO's own modified asphalt provides exceptional flexibility to help protect against the harshest elements: high wind, heavy snow, water infiltration from driving rain, temperature extremes — even the impact of punishing hail.<sup>6</sup>

## HIGH WIND LIMITED WARRANTY UPGRADE.

When you have Crowne Slate shingles installed with IKO PROFORMAX Integrated Roofing Accessories in accordance with IKO's High Wind Application instructions, the High Wind Limited Warranty Upgrade qualifies your new roof for limited wind coverage to 130 mph (210 km/h).



THE IKO ADVANTAGE 4.5

Limited Warranty <sup>1</sup>	Limited Lifetime <sup>3</sup>	Length	39 1/2 in (1003 mm)
Iron Clad Protection <sup>1</sup>	15 Years	Width	13 1/4 in (336 mm)
Limited Wind Warranty <sup>1</sup>	110 mph (177 km/h)	Exposure	10 in (254 mm)
Limited High Wind Warranty Upgrade <sup>1,2</sup>	130 mph (210 km/h)	Coverage per Bundle	25 ft <sup>2</sup> (2.32 m <sup>2</sup> )
Blue-Green Algae Resistant <sup>1</sup>	Yes		

ASTM D3462, ASTM D3018, ASTM D3161 — Class F, ASTM D7158 — Class H, ASTM E108/UL 790 — Class A, FM 4473 — Class 4<sup>6</sup>

**NOTE:** Product and color availability may vary by region. Products with Miami Dade NOA and FBC product approval listings are available. Meets requirements of the Texas Department of Insurance. Please contact IKO for details. <sup>1</sup>See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. <sup>2</sup>High Wind Application is required. Both roof starter and capping shingles are required with High-Wind Application. <sup>3</sup>Lifetime\* means the period of time commencing on the date of the completion of the installation of the shingles on the building and continuing so long as the owner owns the building on which the shingles were installed.

<sup>4</sup>All values shown are approximate. <sup>5</sup>Products developed with reference to these standards. <sup>6</sup>This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty, or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer, and damage from hail is not covered by the Limited Warranty. IKO recommends the use of Ultra-HP IR, its Class 4 impact resistance rated Hip and Ridge cap shingle, in conjunction with the use of Class 4 impact resistance rated shingles. For further details concerning the FM 4473 standards, visit the FM Approvals website.

# Armourshake™



Doesn't a home with the uniqueness of yours deserve a one-of-a-kind shingle?

Armourshake premium asphalt shingles represent IKO's ultimate in design, dimensional thickness, heavy weight and generous exposure, making them exactly the right solution for high-end homes in exclusive neighborhoods. Like yours!

From street level, your roof can account for 40% percent or even more of your home's visual exterior. That's a huge canvas for you to express your home's character and your personality on, from warm and laid-back to stylish and coolly sophisticated.



Color Featured: **Graystone**

**WEATHERED STONE**

*Timeless and elegant, yet warmly welcoming.*

**PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially white, beige, brown, grey or red).

**SHADOW BLACK**

*Dramatic, refined, modern minimalist or stately traditional.*

**PERFECT PAIRINGS:** Stone, masonry, siding (especially white or grey).

Armourshake™



Color Featured: Weathered Stone



WEATHERED STONE

SHADOW BLACK



**GREYSTONE**


*Classically elegant, subtly refined and relaxed.*

**PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially cream, beige or grey).

**CHALET WOOD**

*Warm, welcoming and natural.*

**PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially white, red or grey).



GREYSTONE

CHALET WOOD



Color Featured: Shadow Black

- The unique contour, shape and pattern of these shingles are designed to create deep, contrasting shadows while providing maximum visual exposure and scale, especially on steeper slopes. It's sure to draw many admiring looks upward.
- A course of matching Armour Starter strip shingles further enhances their already impressive dimensional thickness.
- IKO PROFORMAX roofing accessories accentuate the roofline and help protect the most vulnerable areas against water infiltration – all while creating an absolutely stunning roofscape.

If you've ever seen an Armourshake roof, you won't soon forget it because it truly is a knockout! Standard architectural shingles, even on estate homes in upscale neighborhoods, can't compare to the look you'll achieve – and deserve – with a new Armourshake roof.

Discover how Armourshake shingles might look on your actual home. See page 15.

# Built to perform.

## IMPACT RESISTANCE RATING AVAILABLE



Armourshake's heavy-duty construction, weight and thickness helped these shingles qualify for a Class 3 impact resistance rating<sup>6</sup> which may entitle you to a reduction in your home insurance premium.\* Class 4 Impact Resistance rating<sup>6</sup> is also available (Shadow Black only).

*\*This rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the Limited Warranty.*



## BUILT-IN ALGAE-RESISTANCE.

We embed algae-resistant granules into our shingles to help inhibit the growth of blue-green algae.




## SUPERIOR SEALING POWER.

Strips of IKO's FastLock<sup>®</sup> sealant run across the back and along the bottom edge. When activated by the sun's heat, they get extra tacky and create an even stronger bond to help ensure maximum protection against wind uplift, blow-off and water infiltration caused by wind-driven rain.



## INNER STRENGTH IS A CORE VALUE.

This shingle is constructed using two resilient fiberglass mats laminated together, then coated top and bottom with weathering asphalt for strength, durability and flexibility even in the coldest weather. Stronger than the shingle material comprising it, this laminated area also contributes to Armourshake's impressive dimensional thickness.



## UV-RESISTANT GRANULES.

Our colorfast granules help prevent discoloration from the sun's UV rays.

## HIGH WIND LIMITED WARRANTY UPGRADE.

When you have Armourshake shingles installed with IKO PROFORMAX Integrated Roofing Accessories in accordance with IKO's High Wind Application instructions, the High Wind Limited Warranty Upgrade qualifies your new roof for limited wind coverage to 130 mph (210 km/h).

## SPECIALLY DESIGNED ACCESSORIES ACCENTUATE INSTALLATION.

Armourshake shingles are installed using an exclusive starter shingle called Armour Starter, which helps give the shingles their luxurious deep profile and dimension, starting at the roof's edge.

THE IKO ADVANTAGE<sup>4,5</sup>

Limited Warranty <sup>1</sup>	Limited Lifetime <sup>3</sup>
Iron Clad Protection <sup>1</sup>	15 Years
Limited Wind Warranty <sup>1</sup>	110 mph (177 km/h)
Limited High Wind Warranty Upgrade <sup>1,2</sup>	130 mph (210 km/h)
Blue-Green Algae-Resistant <sup>1</sup>	Yes

Length	37 3/8 in (950 mm)
Width	18 11/16 in (475 mm)
Exposure	5 1/2 in (140 mm)
Approximate Coverage	5 bdls/sq.

ASTM D3462, ASTM D3018, ASTM D3161 – Class F, ASTM D7158 – Class H, ASTM E108/UL 790 – Class A, FM 4473 – Class 3,<sup>6</sup> (Class 4<sup>6</sup> Shadow Black only).

**NOTE:** Product and color availability may vary by region. Products with Miami Dade NOA and FBC product approval listings are available. Meets requirements of the Texas Department of Insurance. Please contact IKO for details. <sup>1</sup>See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. <sup>2</sup>High Wind Application is required. Both roof starter and capping shingles are required with High-Wind Application. <sup>3</sup>Lifetime means the period of time commencing on the date of the completion of the installation of the shingles on the building and continuing so long as the owner owns the building on which the shingles were installed.

<sup>4</sup>All values shown are approximate. <sup>5</sup>Products developed with reference to these standards. <sup>6</sup>This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty, or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer, and damage from hail is not covered by the Limited Warranty. IKO recommends the use of its Class 4 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 4 impact resistance rated shingles and the use of no less than its Class 3 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 3 impact resistance rated shingles. For further details concerning the FM 4473 standards, visit the FM Approvals website.



# Royal Estate™



## Ready to break away from the ordinary?

IKO Royal Estate laminated asphalt shingles offer you a beautiful design solution that's a step up from architectural shingles – actually, more like a quantum leap in terms of their singular, stunning appearance PLUS performance that earns them a Class 3<sup>6</sup> Impact Resistance rating.\*

Enhance your home's curb appeal and potentially boost its resale value too, with Royal Estate. It truly stands out from other premium shingles in its class.




\*This rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the Limited Warranty.

**MOUNTAIN SLATE***Traditional, elegant, classic.***PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially white, beige or grey).**HARVEST SLATE***Warm, welcoming, yet majestic and refined.***PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially white, cream or beige).

MOUNTAIN SLATE

TAUPE SLATE



- Precision, random-cut contours create a roofscape of uncommon beauty that will complement the architectural style of any home, whether it's one among many in a subdivision or a custom-built dream home.
- Extra-deep shadow bands provide contrast that gives your new roof an impressive custom look with all the benefits of an asphalt roof and an appearance that alternative materials can't equal.

HARVEST SLATE

**TAUPE SLATE**

*Authentic, down-to-earth, dramatic.*

**PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially cream, beige or grey).

**SHADOW SLATE**

*Traditional, natural, sophisticated.*

**PERFECT PAIRINGS:** Stone, masonry, wood, brick, siding (especially white, beige or grey).



**SHADOW SLATE**

- The Royal Estate shingle is built on a solid core of resilient fiberglass mat that we coat with weathering asphalt for strength, durability and flexibility. This earns Royal Estate a Class 3<sup>6</sup> Impact Resistance rating\* and helps protect against the harshest elements: high winds, heavy snow, water infiltration and temperature extremes. That's performance – and peace of mind.
- Choose from among these high-definition designer color-blend options, all inspired by the hues of natural stone.

\*This rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the Limited Warranty.

# Built to perform.

## ROYAL ESTATE QUALIFIES FOR A CLASS 3 IMPACT RESISTANCE RATING

Thanks to their heavy-duty construction, thick coating of weathering asphalt, weight and thickness, these laminated Designer-class shingles act as a cushion, qualifying them for a Class 3 impact resistance rating, which may entitle you to a reduction in your home insurance premium.\*

*\*This rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the Limited Warranty.*



### TOUGH TO THE CORE.

This shingle is constructed using two resilient fiberglass mats laminated together, then coated top and bottom with weathering asphalt for strength, durability and flexibility even in the coldest weather. Finally, it's surfaced with IKO's own colored granules.



### BUILT-IN ALGAE RESISTANCE.

Colorfast algae-resistant granules embedded in the surface help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.



### AN EXCEPTIONAL BONDING EXPERIENCE.

Along the bottom edge of our shingles are strips of IKO's FastLock® sealant. When activated by the sun's heat, it becomes extra tacky to create an even stronger bond for maximum protection against wind uplift, blow-off and water infiltration caused by wind-driven rain.

### HIGH WIND LIMITED WARRANTY UPGRADE.

When you have Royal Estate shingles installed with IKO PROFORMAX Integrated Roofing Accessories in accordance with IKO's High Wind Application instructions, the High Wind Limited Warranty Upgrade qualifies your new roof for limited wind coverage to 130 mph (210 km/h).

THE IKO ADVANTAGE 4.5	Limited Warranty <sup>1</sup>	Limited Lifetime <sup>3</sup>	Length	40 in (1016 mm)
	Iron Clad Protection <sup>1</sup>	15 Years	Width	13 1/4 in (336 mm)
	Limited Wind Warranty <sup>1</sup>	110 mph (177 km/h)	Exposure	5 5/8 in (143 mm)
	Limited High Wind Warranty Upgrade <sup>1,2</sup>	130 mph (210 km/h)	Coverage per Bundle	33 1/3 sq ft (3.1 sq m)
	Blue-Green Algae-Resistant <sup>1</sup>	Yes		

ASTM D3462, ASTM D3018, ASTM D3161 – Class F, ASTM D7158 – Class H, ASTM E108/UL 790 – Class A, FM 4473 Class 3<sup>6</sup>

**NOTE:** Product and color availability may vary by region. Products with Miami Dade NOA and FBC product approval listings are available. Meets requirements of the Texas Department of Insurance. Please contact IKO for details. <sup>1</sup>See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. <sup>2</sup>High Wind Application is required. Both roof starter and capping shingles are required with High-Wind Application. <sup>3</sup>"Lifetime" means the period of time commencing on the date of the completion of the installation of the shingles on the building and continuing so long as the owner owns the building on which the shingles were installed. <sup>4</sup>All values shown are approximate. <sup>5</sup>Products developed with reference to these standards. <sup>6</sup>This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty, or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer, and damage from hail is not covered by the Limited Warranty. IKO recommends the use of its Class 3 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 3 impact resistance rated shingles. For further details concerning the FM 4473 standards, visit the FM Approvals website.



# ROOFViewer®



## How to choose a color blend you'll keep loving for a long time.

Whether you want your home to blend into its natural surroundings or stand out dramatically, the quality and durability of IKO Designer shingles mean that your new roof will protect your home and family for years to come. It's important to choose your color blend wisely, the way you'd select a paint color for a room inside your home.

Like a paint chip, an actual sample of our shingles will help you make the right decision when you see how the colors change their appearance according to varying degrees of natural light at different times of the day.

## Narrow down your choices first, with IKO **ROOFViewer**®.

IKO's exclusive **ROOFViewer** interactive shingle selector tool, available at [IKO.com](http://IKO.com), lets you mix 'n' match IKO shingles based on home style, color of siding and other elements. Or upload a photo of your actual home. Then, ask your contractor or an IKO sales representative to show you our shingle samples.

**IMPORTANT!** To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection, as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer** tool may not accurately reflect shingle color and do not fully represent the entire color blend range, nor the impact of sunlight.

# PROFORMAX™

INTEGRATED ROOFING ACCESSORIES

Your family deserves the performance, protection and peace of mind that you can put over their heads with a stunning new roof of IKO Designer-class shingles. Ask your contractor or an IKO sales representative to show you all the beautiful options available today.



PROFORMAX ROOFING COMPONENTS	1a 1b 1c DECK PROTECTION	2 SYNTHETIC UNDERLAYMENT	3 ROOF STARTERS	4 CAPPING SHINGLES*
<b>Crowne Slate™</b>	IKO GoldSeam® IKO StormShield®	IKO Stormtite®	IKO Leading Edge Plus™ or IKO EdgeSeal®	IKO UltraHP® IR*
<b>Armourshake™</b>	IKO GoldSeam® IKO StormShield®	IKO Stormtite®	IKO Leading Edge Plus™ or IKO EdgeSeal® and IKO Armour Starter™	IKO UltraHP® IR IKO Hip & Ridge Class 4 IKO Hip & Ridge 12™
<b>Royal Estate™</b>	IKO GoldSeam® IKO StormShield®	IKO Stormtite®	IKO Leading Edge Plus™ or IKO EdgeSeal®	IKO UltraHP® IR* IKO Hip & Ridge 12™

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.

\*IKO UltraHP IR and IKO Hip & Ridge Class 4 have a Class 4 impact resistance rating and IKO Hip & Ridge 12 have a Class 3 impact resistance rating. IKO recommends the use of its Class 4 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 4 impact resistance rated shingles, and the use of no less than its Class 3 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 3 impact resistance rated shingles. For further detail concerning the FM 4473 standards, visit the FM Approvals website.



IKO.COM/NA

To find out more about Designer shingles or additional IKO products, please talk to an IKO sales representative or a professional roofing contractor, or contact IKO directly:

**United States 1-888-IKO-ROOF (1-888-456-7663)**

**Canada 1-855-IKO-ROOF (1-855-456-7663)**

